

5000

a

• 910 PRO CESS



#### LETTER FROM THE CEO

Since this company's founding in 1919, so much has changed across the landscape of engineering, manufacturing, and technology. The way we design, build, and bring to market our firearms today may look very different than when my great-grandfather Oscar Mossberg started making pistols out of his garage; however, one thing has not been altered: the Mossberg commitment to quality and reliability.

Our products are made with the same dedication to our craft, our customers, and to the Second Amendment as they were a century ago. Whether they are being used for the hunting and shooting sports; self-defense; or by Military and Law Enforcement professionals at home and overseas we are dedicated to upholding our reputation for durable, trustworthy products that customers have counted on for over one hundred years.


Mossberg builds guns that work as hard as you do, and on behalf of the company, I want to thank you for choosing us to be a part of your most memorable moments.

de Mionles f

Alan Iver Mossberg, Jr. Chief Executive Officer

#### **TABLE OF CONTENTS**

PRODUCT HIGHLIGHTS - 2023	4-5
HANDGUNS	6-9
PISTOL GRIP FIREARMS	10-17
SECURITY SHOTGUNS	18-35
FIELD & SPORTING SHOTGUNS	36-65
HUNTING & TACTICAL RIFLES	66-81
ACCESSORIES	82-90
MOSSBERG SAFETY	91



This document is for informational purposes only and may contain errors, inadvertent omissions or typographical errors. Mossberg shall not be liable to you for any claim whatsoever arising from the inaccuracy. Specifications are subject to change. Not all products are available in all states and jurisdictions. Consult and comply with any and all applicable federal, state, and local: laws, regulations, requirements, and/or restrictions, including but not limited to those regarding the purchase, ownership, use, transport and carrying of a firearm.

Company names other than 0.F. Mossberg & Sons, Inc. mentioned herein, and such other companies' respective product names may be trademarks of such respective companies. The absence herein of any product name, mark, logo, etc. does not constitute a waiver by 0.F. Mossberg & Sons, Inc. of any intellectual properly right that it may own.



WARNING: Use of firearm products and accessories can expose you to chemicals including lead, which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

3

## **PRODUCT HIGHLIGHTS 2023**

### OPTIC-READY SHOTGUNS & PISTOLS

Improved eye alignment and target acquisition are in sight with Mossberg optic-ready firearms. Shotgun receiver or pistol slide cuts facilitate easy low-profile direct mounting of popular Micro Dot optics. A cover plate is supplied for when an optic is not in use (inset). Optic-Ready offerings are available in both new models and updated configurations of some of Mossberg's best-selling models:

MC2c<sup>®</sup> Compact Pistols | Pages 8-9

590S® Shotguns | Page 28

940® Pro Tactical | Page 34

500® Field - Turkey | Pages 38-39

835® Ulti-Mag® - Turkey Pages 46-47

(Not all Micro Dot sights shown are included)

The MC2c® joins the MC2sc® Micro-Compact in Mossberg's roster of optic-ready 9MMs (Above) For out-of-the-box convenience, the new 940 Pro Tactical is also available pre-equipped as a Holosun® HS407K Red Dot Combo

> New Optic-Ready Pump-Action Turkey Configurations include 500 (20GA & 410 Bore) & 835 Ulti-Mag (12GA)



### PATRIOT<sup>™</sup> PREDATOR in NEW 7MM PRC

Patriot Predator rifles are now offered chambered for the new 7mm PRC cartridge. Designed for the

highest levels of accuracy and a flat trajectory– 7mm PRC offers big game stopping power and extended range capability. It provides hunters with a large bullet, sent at high velocities (±3000 fps @180 grain), and with exceptional ballistic performance to well beyond 1000 yards.

Patriot Predator Rifles Pages 74-75



#### PATRIOT<sup>™</sup> LR TACTICAL RIFLES

#### **Extend Your Down-Range Reach.**

Mossberg's Patriot LR Tactical rifles were designed to achieve high levels of accuracy at extended distances in an adjustment-ready, customizable package. From its multi-axis adjustable stock with aluminum V-Block bedding, to its M-LOK® compatible forend, to its suppressor-ready threaded barrel this bolt-action delivers target-finding precision at the range or on the hunt.

Patriot LR Tactical Rifles | Pages 68-69



#### SA SERIES SUB-GAUGE AUTOLOADERS





# HANDGUNS

### MOSSBERG

SEMI-AUTOMATIC 9MM





MACOME

### MC2<sup>®</sup>PISTOLS. OPTIC-READY. CARRY-READY.

Slim, lightweight, and engineered for comfortable concealed carry– the ergonomically-designed MC2 Series pistols have double-stack 9mm magazines that provide up to 16+1 capacity when you need it most, and an optic-ready slide for easy direct mounting of popular Micro Dot optics.

0

## MC2SC<sup>®</sup> & MC2C<sup>®</sup> Semi-Automatic 9mm Pistols



ТҮРЕ	ITEM #	CALIBER	CAPACITY	BARREL LENGTH & FINISH	TWIST	SAFETY CONFIGURATION	SIGHTS (SIGHT RADIUS)	OVEF LENGTH	ALL DIME HEIGHT	ISIONS WIDTH	FRAME & FINISH	SLIDE FINISH	APPROX. WEIGI
MC2sc MICRO-COMP	ACT   In	cludes 11	-Round Flush-	Fit & 14-Rou	nd Exten	ded Magazines or Two 1	0-Round Magazines						
Standard	89025	9mm	11+1,14+1	3.4" DLC	1:16"	Trigger Blade	White 3-Dot (5.40")	6.25"	4.30"	1.10"	Polymer (Matte Black)	DLC (Black)	19.5oz/25
Manual Safety	89027	9mm	11+1,14+1	3.4" DLC	1:16"	Trigger Blade & Manual	White 3-Dot (5.40")	6.25"	4.30"	1.10"	Polymer (Matte Black)	DLC (Black)	19.5oz/25
Tritium Sights	89044	9mm	11+1,14+1	3.4" DLC	1:16"	Trigger Blade	TRUGLO Tritium Pro (5.40")	6.25"	4.30"	1.10"	Polymer (Matte Black)	DLC (Black)	19.5oz/25
MA Compliant	89045	9mm	10+1	3.4" DLC	1:16"	Trigger Blade & Manual	White 3-Dot (5.40")	6.25"	4.30"	1.10"	Polymer (Matte Black)	DLC (Black)	19.5oz/24.5
Standard (10-Rd)	89046	9mm	10+1	3.4" DLC	1:16"	Trigger Blade	White 3-Dot (5.40")	6.25"	4.30"	1.10"	Polymer (Matte Black)	DLC (Black)	19.5oz/24.5
MC2c COMPACT	ncludes 14-	Round FI	ush-Fit & 16-R	ound Extend	ed Maga	zines or Two 10-Round I	Magazines						
NEW Standard	89031	9mm	14+1,16+1	3.9" DLC	1:16"	Trigger Blade	White 3-Dot (6.40")	7.10"	4.90"	1.10"	Polymer (Matte Black)	DLC (Black)	21oz/2
NEW Manual Safety	89032	9mm	14+1,16+1	3.9" DLC	1:16"	Trigger Blade & Manual	White 3-Dot (6.40")	7.10"	4.90"	1.10"	Polymer (Matte Black)	DLC (Black)	21oz/29
NEW Tritium Sights	89033	9mm	14+1,16+1	3.9" DLC	1:16"	Trigger Blade	TRUGLO Tritium Pro (6.40")	7.10"	4.90"	1.10"	Polymer (Matte Black)	DLC (Black)	21oz/2
NEW) Standard (10-Rd)	89030	9mm	10+1	3.9" DLC	1:16"	Trigger Blade	White 3-Dot (6.40")	7.10"	4.90"	1.10"	Polymer (Matte Black)	DLC (Black)	21oz/27
NEW MA Compliant	89048	9mm	10+1	3.9" DLC	1:16"	Trigger Blade & Manual	White 3-Dot (6.40")	7.10"	4.90"	1.10"	Polymer (Matte Black)	DLC (Black)	21oz/2

\*Overall Dimensions: Measured with flush-fit magazine. Weight: Calculated using 11-Round (MC2sc) or 14-Round (MC2sc) Magazine. 3-Dot: Single/Front and Dual/Rear White Dot sights, are dovetali-mounted and drift adjustable. TRUGLO Tritium Pro: Single/Front and Dual/Rear Tritium 3-Dot sights, are dovetali-mounted and drift adjustable. TRUGLO\* is a registered trademark of Good Sportsman Marketing, LLC. DLC: Diamond-Like Carbon Coating. Matte black finish. Stide: 416 Stainless Steel construction. STS: The patent-pending slide cover plate design is used under license from Strike Industries. All models include a free gun lock. Not all products are available in all states and jurisdictions. Consult and comply with any and all applicable federal, state, and local: laws, regulations, requirements, and/or restrictions, including but not limited to those regarding the purchase, ownership and carrying of a firearm.



## **MC2<sup>®</sup> FEATURES**

### MOSSBERG





Grips are designed to be extremely narrow for their capacity, engineered for slim profile double-stack magazines and retaining the superior ergonomics of the pistol's grip and palm swell. The result? Comfort in your hand and ease of concealability when needed. They feature: high-visibility followers, easy-to-remove floorplates, and are made of a coated steel for low friction and superior wear resistance. (For MC2 series accessory magazines and holsters, see Page 94)

## Optic-Ready Convenience– Built In

All MC2 pistols have optic-ready slides\* that easily facilitate the low-profile co-witness mounting of Shield RMSc-pattern micro dot optics for improved eye alignment and target acquisition.

Optic-Ready Mossberg pistols include the patented optic cut technology designed by ZEV Technologies,<sup>®</sup> US Patent #RE47335. ZEV Technologies is a registered trademark of ZEV Technologies, Inc. (Red Dot sights shown, not included)





Standard snag-free dovetail white 3-Dot sights on both models offer easy target acquisition and quick draw. TRUGLO<sup>®</sup> Tritium PRO<sup>™</sup> sights (inset) are also available as a factory option.



The flat-profile trigger (approximate 5.5 lbs pull) has an integrated blade safety, a short, tactile reset, and reduced overtravel. It features a crisp, clean break and smooth take-up for less hand movement for a truer, more accurate shot.



Frames are high-tensile strength glass reinforced polymer; feature Mossberg's signature aggressive grip texturing and palm swell for a confident, firm grip under a variety of conditions.



Available as an option on MC2sc and MC2c models, the manual cross-bolt safety provides added security and peace of mind for users.

MC2 Safe Takedown System<sup>™</sup> Both models are equipped with Mossberg's exclusive Safe Takedown System. It requires the user to make the handgun safe by removing the striker assembly before removing the slide. The user is not required to pull the trigger in order to disassemble the handgun for cleaning and maintenance.



1. Remove the magazine and lock the slide open. Clear the action by visually and physically inspecting the chamber to be certain it is unloaded. Push the rear slide plate button and slide it down.\*\* 2. Once the slide plate is removed, the end of the striker assembly will be visible. \*\*The patent-pending slide cover design is used under license from Strike Industries



3. Close the action by pulling the slide fully rearward and releasing it gently. This will allow the slide to push out the striker assembly. 4. The striker assembly is safely removed from the pistol without ever pulling the trigger. The slide is then pushed forward towards the muzzle, and removed off of the frame.

9





# **PISTOL GRIP**

### MOSSBERG

**PUMP-ACTION FIREARMS** 

## 5905<sup>®</sup>/590<sup>®</sup> SHOCKWAVES Pump-Action Firearms





FOR SPECIFICATIONS, SEE PAGE14

## 5905<sup>®</sup>/590<sup>®</sup> SHOCKWAVES Pump-Action Firearms



The Shockwave and Nightstick bird's-head style pistol grips are uniquely shaped to provide a firm grip and minimize felt recoil.



The 590 Shockwave's light weight, 14" barrel, unique grip, and strapped forend make it easy to control from different shooting positions for a wide variety of users.



The 590 Shockwave's strapped forend keeps the lead hand clear of the muzzle when cycling the action.



The Lasersaddle system is seamlessly attached to the 590 receiver. The 5mW beam is adjustable for windage and elevation, and the unit has three conveniently-reached touchpad activation points.

<b>VE</b>   3"	Chambe	r with 1.75"	Short Shell,	2.75," and 3	" Cycling Capability,	Strappe	d Forend, Logo	Engrave	d Receiver		
ITEM #	GA.				BARREL	SIGHTS	BORE	OVERALL LENGTH	METAL FINISH	GRIP/FOREND & FINISH	APPROX. WEIGHT
51601	12	8+1	5+1	4+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Matte Blue	Shockwave Bird's-head Grip & Strapped Forend (Black)	5.3 lbs
51600	12	9+1	6+1	5+1	18.5"	Bead	Cylinder Bore	30.75"	Matte Blue	Shockwave Bird's-head Grip & Strapped Forend (Black)	5.5 lbs
	ITEM #	ITEM # GA. 51601 12	ITEM #      GA.      MAXIMUM CI.        51601      12      8+1	ITEM #      GA.      MAXIMUM CAPACITIES* BY SH 1.75° SHELLS      2.75° SHELLS        51601      12      8+1      5+1	ITEM #      GA.      MAXIMUM CAPACITIES' BY SHELL LENGTH 1.75° SHELLS      2.75° SHELLS      3" SHELLS        51601      12      8+1      5+1      4+1	ITEM #      GA.      MAXIMUM CAPACITIES* BY SHELL LENGTH 1.75" SHELLS      Barrel        51601      12      8+1      5+1      4+1      14.375" Hvy-Walled	ITEM #  GA.  MAXIMUM CAPACITIES* BY SHELL LENGTH 1.75" SHELLS  3" SHELLS  BARREL  SIGHTS    51601  12  8+1  5+1  4+1  14.375" Hvy-Walled  Bead	ITEM #  GA.  MAXIMUM CAPACITIES' BY SHELL LENGTH 1.75" SHELLS  Barnel  SIGHTS  Bone    51601  12  8+1  5+1  4+1  14.375" Hvy-Walled  Bead  Cylinder Bore	ITEM #  GA.  MAXIMUM CAPACITIES* BY SHELL LENGTH 1.75" SHELLS  Barrel  SIGHTS  BORE  OVERALL LENGTH    51601  12  8+1  5+1  4+1  14.375" Hvy-Walled  Bead  Cylinder Bore  26.37"	ITEM #    GA.    1.75° SHELLS    2.75° SHELLS    3" SHELLS    BARREL    SIGHTS    BORE    LENGTH    METAL FINISH      51601    12    8+1    5+1    4+1    14.375" Hvy-Walled    Bead    Cylinder Bore    26.37"    Matte Blue	ITEM #  GA.  MAXIMUM CAPACITIES* BY SHELL LENGTH 1.75° SHELLS  MAXIMUM CAPACITIES* BY SHELL LENGTH 3° SHELLS  BARREL  SIGHTS  BORE  OVERALL LENGTH  METAL FINISH  GRIP/FOREND & FINISH    51601  12  8+1  5+1  4+1  14.375° Hvy-Walled  Bead  Cylinder Bore  26.37°  Matte Blue  Shockwave Bird's-head Grip & Strapped Forend (Black)

590S Shotgun models also available, see page 28.

Maximum Capacities\*: Depending upon shotshell tolerance variations and firearms model configuration, total capacity may be reduced by one shotshell. As a firearm owner or potential owner, you are responsible for complying with all applicable laws including but not limited to any state or local restrictions regarding possession or capacity. Check with your local retailer or State Police for laws that may be applicable to you. Since such regulations are subject to change, state and local authorities are in the best position to advise on such matters. LOP: Length of pull. Shockwave is a trademark of Shockwave Technologies, Inc. All models include a free gun lock.

ТҮРЕ	ITEM #	GAUGE/ BORE	2.75" CAPACITY	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	METAL FINISH	GRIP	NOTES	APPRO WEIGH
590 SHOCKWAVE											
6-Shot	50659	12	5+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Matte Blue	Shockwave Bird's-head Grip	-	5.3 lb
6-Shot w/Cerakote®	50653	12	5+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Cerakote (FDE)	Shockwave Bird's-head Grip	-	5.3 lb
6-Shot Shock 'N' Saw	50647	12	5+1	14.375" Hvy-Walled Stand-off	Bead	Cylinder Bore	26.37"	Matte Blue	Shockwave Bird's-head Grip	Railed Forend; Chainsaw Top Handle, Stand-off Muzzle, Heat Shield	6.3 lt
6-Shot SPX	50648	12	5+1	14.375" Hvy-Walled Stand-off	Bead	Cylinder Bore	26.37"	Matte Blue	Shockwave Bird's-head Grip	Picatinny Rail; 5 Shell Holders; Stand-off Muzzle; Heat Shield	6.3 lt
7-Shot	50639	12	6+1	18.5"	Bead	Cylinder Bore	30.75"	Matte Blue	Shockwave Bird's-head Grip	-	5.5 lb
6-Shot	50657	20	5+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Matte Blue	Shockwave Bird's-head Grip	-	4.95 ll
6-Shot	50649	.410	5+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Matte Blue	Shockwave Bird's-head Grip	-	6.3 ll
590 SHOCKWAVE w/L	ASERSAD	DLE <sup>™</sup> –	6-SHOT	Crimson Trace® La	asersaddle	Sighting System	n: 5mW Las	er/3 Touchpad Ad	ctivation Points/Windage & Ele	evation Adjustable	
6-Shot w/Lasersaddle	50638	12	5+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Matte Blue	Shockwave Bird's-head Grip	Includes Crimson Trace Red Dot Lasersaddle	6 lt
6-Shot w/Lasersaddle	50637	20	5+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Matte Blue	Shockwave Bird's-head Grip	Includes Crimson Trace Red Dot Lasersaddle	5.75 lt
590 JIC SHOCKWAVE	- 6-SHOT	Vat	ter-Resista	ant Carrying Tube/Strap	)						
6-Shot – 590 JIC Series w/Cerakote®	50656	12	5+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Cerakote (Stainless)	Shockwave Bird's-head Grip	Water-Resistant Carrying Tube/Strap (Intl. Orange)	5.3 lb
590 NIGHTSTICK** – 6	S-SHOT	Leathe	er Forend	Strap							
6-Shot Nightstick**	50651	12	5+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Matte Blue	Bird's-head Wood Grip	Wood Corncob forend w/Leather strap	5.25 ll
6-Shot Nightstick**	50675	20	5+1	14.375" Hvy-Walled	Bead	Cylinder Bore	26.37"	Matte Blue	Bird's-head Wood Grip	Wood Corncob forend w/Leather strap	4.901

Hequires no stamp for transfers. Overall Length and Weight<sup>2</sup>: 590 JIC Shockwave shotgun only. Does not include carrying tube. LOP: Length of pull. Cerakote: Premium polymer-ceramic protective coating. Cerakote is a registered trademark of NIC industries, inc. FUE: Hat Dark Earth colored finish. Stainless: stainless: stainless steel-colored finish. Crimson Trace and Lasersaddle are trademarks of Crimson Trace Corporation. Shockwave is a registered trademark of Shockwave Technologies, Inc. All models include a free gun lock. Not all products are available in all states and jurisdictions. Check your state and local laws and regulations.

\*\*DEALERS CAN ONLY ORDER 590 NIGHTSTICK MODELS (#50651 AND #50675) THROUGH A TALO GROUP DISTRIBUTOR. VISIT WWW.TALOINC.COM FOR MORE INFORMATION.

## 590M<sup>®</sup> SHOCKWAVE Pump-Action Firearm

### MOSSBERG





All-steel magazine release button and housing are optimally positioned in front of the trigger guard for quick, ambidextrous access for reloading - and will not interfere with cycling the action

Hardened steel feed lips and over-

efficient feeding. Anti-cant rounded

molded steel shell ramps ensure

follower improves feeding; round

limiter improves spring life.



uniquely designed, incorporating stabilizing ribs that engage the magazine directly to the receiver for a sure lockup.



590M shotguns and magazines are

Removable floor plate for easy

cleaning: ASTM-A-228 music wire

springs improve feeding, increase

durability, and prolong service life.



Combining the world's first production double-stack detachable pump-action magazine with the compact package of a 15" barrel and bird's-head grip, our 590M Shockwave is the best of both worlds.

#### **590M SHOCKWAVE FEATURES**

- 12 Gauge, with 10-Round detachable magazine
- · Heavy-walled barrel
- · Bird's-head grip
- Strapped forend
- · Standard pump-action features include dual extractors, steel-to-steel lockup, top-mounted ambidextrous safety, and twin action bars
- · Drilled and tapped receiver
- · Accessory magazines available in 5, 10, 15 and 20-round capacities



590M SHOCKWAVE	2.75" C	hambe	er							
ТҮРЕ	ITEM #	GA.	2.75" CAPACITY	BARREL	SIGHTS	CHOKE	OVERALL LENGTH	METAL FINISH	STOCK/FINISH	APPROX. WEIGHT
590M Shockwave/11-Shot	50208	12	10+1	15"	Bead	Cylinder Bore	27.75"	Matte Blue/Logo Embellished Receiver	Raptor Grip/Corncob Forend w/Strap (Black	) 7.75 lbs
Chamber: 590M shotguns require the	ne use of 2.75"	shotshel	ls. <b>LOP:</b> Length of pull	. Weight: Calo	culated with em	pty mounted 10-round	magazine. All models in	clude a free gun lock. Not all products are available in	all states and jurisdictions. Check your state and local law	ws and regulations.
590M Shotauns also avai	lahle seer	naae 2	9							

590M MAG-FED	ACCESS	ORY	MAGAZINES	S				
ТҮРЕ	ITEM #	GA.	2.75" CAPACITY	TYPE	DIMENSIONS	MATERIAL/CONSTRUCTION	FEED LIPS	APPROX. WEIGHT
5-Round Magazine	95137	12	5	Double-Stack	2.5"L x 3.5"W x 5.375"H	High-Impact Polymer Tower, with Proprietary Self-Lubricating Polymer Body	Hardened Steel	0.96 lbs
10-Round Magazine	95138	12	10	Double-Stack	2.5"L x 3.5"W x 8.0"H	High-Impact Polymer Tower, with Proprietary Self-Lubricating Polymer Body	Hardened Steel	1.26 lbs
15-Round Magazine	95139	12	15	Double-Stack	2.5"L x 3.5"W x 10.375"H	High-Impact Polymer Tower, with Proprietary Self-Lubricating Polymer Body	Hardened Steel	1.46 lbs
20-Round Magazine	95140	12	20	Double-Stack	2.5"L x 3.5"W x 12.625"H	High-Impact Polymer Tower, with Proprietary Self-Lubricating Polymer Body	Hardened Steel	1.70 lbs

Magazines: Work exclusively with Mossberg 590M Shotguns, using 2.75° shotshells. Weights: Calculated without shotshells. Patented: Design components including double-stack design are covered by patents owned by Adaptive Tactical LLC. Self-lubricating: Dupont proprietary self-lubricating polymer body improves feeding and reduces internal friction. Not all products are available in all states and jurisdictions. Check your state and local laws and regulations.

## **CRUISER**<sup>®</sup> Pump-Action Firearms

### Maverick Mossberg





#### Reliability. Maneuverability. Compact Storage.

When it comes to keeping your home and family safe, Mossberg and Maverick pumps can't be beat. Ruggedly built and simple to operate, and with a pistol grip and short barrel, Cruiser models offer ease of navigation in tight and confined spaces.

#### **CRUISER SERIES FEATURES**

- 6-Shot or 8-Shot
- 12 Gauge and 20 Gauge
- Standard pump-action features include dual extractors, steel-to-steel lockup, twin action bars, and anti-jam elevator
- Compact and maneuverable
- Top-mounted ambidextrous safety (Mossberg), Crossbolt Safety (Maverick)
- Chainsaw model offers removable top grip






20GA | 6-Shot | #32204 Also Available in 12GA | #31008

MOSSBERG 590 & 500	FLEX CRU	ISERS	3" Chamb	er, Top-Mount	ed Ambidextro	us Safety					
ТҮРЕ	ITEM #	GAUGE	2.75" CAPACITY	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	FOREND TYPE	METAL FINISH	GRIP & FINISH	APPROX. WEIGHT
590 CRUISER – 6-SHOT											
6-Shot – Cruiser	50697	12	5+1	18.5" Stand-off	White Dot	Cylinder Bore	28.12"	Corncob/Strapped	Matte Blue	Synthetic Pistol Grip (Black)	5.75 lbs
590 CHAINSAW – 6-SHOT	Removable	Top Grip	, Stand-off Bar	rel, Tri-Rail For	end						
6-Shot – Cruiser/Tri-Rail	50692	12	5+1	18.5" Stand-off	White Dot	Cylinder Bore	28.12"	Tri-Rail	Matte Blue	Synthetic Pistol Grip (Black)	6 lbs
500 FLEX TACTICAL CRUISE	R – 6-SHOT	FLE	X System Con	nectors on Pisto	ol Grip and Tact	tical Tri-Rail Fore	nd, Stand-off Ba	urrel			
6-Shot – FLEX Cruiser/Tri-Rail	50673	12	5+1	18.5" Stand-off	White Dot	Cylinder Bore	28.12"	FLEX Tri-Rail	Matte Blue	FLEX Pistol Grip Synthetic (Black	<li>6.75 lbs</li>
MAVERICK 88 CRUISER	<b>S</b>   3" Cha	mber, Cr	ossbolt Safety	,							
ТҮРЕ	ITEM #	GAUGE	2.75" CAPACITY	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	FOREND TYPE	METAL FINISH	GRIP & FINISH	APPROX. WEIGHT
MAVERICK 88 CRUISER – 6-	SHOT & 8-S	бнот									
6-Shot – Cruiser	31008	12	5+1	18.5"	Bead	Cylinder Bore	28.12"	Corncob	Blue	Synthetic Pistol Grip (Black)	5.75 lbs
6-Shot – Cruiser	32204	20	5+1	18.5"	Bead	Cylinder Bore	28.12"	Corncob	Blue	Synthetic Pistol Grip (Black)	5.5 lbs
8-Shot – Cruiser	31080	12	7+1	20"	Bead	Cylinder Bore	29.62"	Corncob	Blue	Synthetic Pistol Grip (Black)	6.5 lbs

## JIC<sup>®</sup> (JUST IN CASE) SERIES Pump-Action Firearms





500 JIC FLEX -	6-SHOT	FLEX T	LS Tool-less	Locking Syste	em Components, Neoprene Carryir	ig Case					
500 JIC FLEX	57340	12	5+1	18.5"	Soft Case, FLEX TLS Components	Cylinder Bore	28.12"*		Matte Blue	FLEX Pistol Grip (Black)	5.5 lbs*
500 JIC - 6-SH	<b>ot</b>   Wa	ter-Resist	ant Storage	Tube with Car	rying Strap						
500 JIC Cruiser	51340	12	5+1	18.5"	Tube/Strap, Survival Kit-in-a-Can	Cylinder Bore	28.12"*	OD Green	Matte Blue	Pistol Grip (Black)	5.5 lbs*
500 JIC Mariner	52340	12	5+1	18.5"	Tube/Strap, Multi-Tool & Knife	Cylinder Bore	28.12"*	Intl. Orange	Marinecote	Pistol Grip (Black)	5.5 lbs*
590 JIC SHOCK	WAVE <sup>®</sup> – 6-	-SHOT	Water-Re	esistant Storag	e Tube with Carrying Strap (see Pa	age 14)					
590 JIC Shockwav w/Cerakote®	e 50656	12	5+1	14.375" Hvy-Walled	Tube/Strap	Cylinder Bore	26.37"*	Intl. Orange	Cerakote (Stainless)	Shockwave Bird's-head Grip (Black)	5.3 lbs*

Overall Lengths & Weights\*: For firearms only, excludes tube, case and/or accessories. Cerakote: Premium polymer-ceramic protective coating. Cerakote is a registered trademark of NIC Industries, Inc. Stainless: Stainless: Stainless steel-colored finish. Shockwave is a registered trademark of Shockwave Technologies, Inc. All models include a free gun lock. Not all products are available in all states and jurisdictions. Check your state and local laws and regulations.





# SHOTGUNS

### MOSSBERG

SECURITY

2023 CATALOG MOSSBERG.COM 19

## **590A1**<sup>™</sup> Pump-Action Shotguns



FOR SPECIFICATIONS, SEE PAGE 23



The Mossberg 590A1 is the most durable of our pump action shotguns, and has met US Military testing requirements (MIL-SPEC 3443G). It has seen duty in all branches of our country's military as well as in military and law enforcement agencies worldwide due to its proven endurance and sturdy construction. Combine its hearty construction with the sight, stock and forend configurations, the 590A1 is a popular choice for home defense applications.



Select 590A1 models feature a Mossberg<sup>®</sup> M-LOK<sup>®</sup> compatible forend with mounting slots on both sides and bottom, providing easy customization with a variety of available tactical accessories. (M-LOK accessories, not included)

#### **590A1 FEATURES**

- 7-Shot and 9-Shot (6-Shot for NFA/Class 3)
- · 12 Gauge
- MIL-SPEC construction (MIL-S-3443G):
  - Heavy-Walled barrel
  - Metal trigger guard and safety button
- Clean-out magazine tube
- Drilled and tapped receiver
- Various sight, stock, and forend configurations
- Parkerized or Marinecote<sup>™</sup> finishes
- Standard pump-action features include dual extractors, steel-to-steel lockup, top-mounted ambidextrous safety, twin action bars, and an anti-jam elevator











**14**" **590A1 NFA/CLASS 3** - This NFA/Class 3 Short Barreled Shotgun has standard 590A1 MIL-SPEC 3443G construction, and also features a strapped forend, Ghost Ring sights, and +4 Shell Holder stock. Requires a Tax Stamp for transfers.



A cleanout magazine tube with cap is standard on all 590A1 models. 9-Shot models also come with a bayonet mounting lug



A majority of 590A1 models are fitted with adjustable Ghost Ring sights —standard (left) or XS rail-mounted (right), providing superior sighting for target acquisition in a variety of low-light situations.



The Mossberg signature top-mounted safety is conveniently located and highly visible for ease of use for right- or left-handed shooters.



The strapped forend on the NFA/Class 3 model helps keep the lead hand clear of the muzzle when cycling the action.

590A1   MIL-SPEC, 3	" Chamb	er									
ТҮРЕ	ITEM #	GAUGE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGT	H LOP	METAL FINISH	STOCK/FOREND & FINISH A	PPROX. WEIGHT
590A1 – 7-SHOT with I	M-LOK F	OREND	1								
7-Shot – M-LOK	50765	12	6+1	18.5" Hvy-Walled	Ghost Ring	Cylinder Tube	39.5"	13.87"	Parkerized	Synthetic Stock w/M-LOK Forend (Black)	7 lbs
7-Shot – M-LOK	50766	12	6+1	18.5" Hvy-Walled	Bead	Cylinder Bore	39.5"	13.87"	Parkerized	Synthetic Stock w/M-LOK Forend (Black)	7 lbs
7-Shot Mariner®– M-LOK	50767	12	6+1	18.5" Hvy-Walled	Bead	Cylinder Bore	39.5"	13.87"	Marinecote	Synthetic Stock w/M-LOK Forend (Black)	7 lbs
590A1 MAGPUL - 9-SH	<b>IOT</b>   N	/lagpul®	SGA® Adjus	stable LOP Stock w	ith Interchangeat	ole Cheek Riser	Combs, MOE	E° Forend, Sling	Plates		
9-Shot	51773	12	8+1	20" Hvy-Walled	XS Ghost Ring	Cylinder Bore	39.5"*	12.25-14.25"	Parkerized	SGA Adj. Stock/Spacers - MOE Forend (Black)	7.25 lbs**
590A1 ADJUSTABLE -	9-SHOT	with M	-LOK FOR	END							
9-Shot – M-LOK	50769	12	8+1	20" Hvy-Walled	Ghost Ring	Cylinder Bore	36.12"*	10.5-14.25"	Parkerized	6-Pos. Adj. Stock w/M-LOK Forend (Black)	7.75 lbs
590A1 SPX – 9-SHOT	M9 Ba	iyonet &	Scabbard,	Picatinny Top Rail,	Rail-Mounted Gh	nost Ring Rear S	Sight/Winged	Fiber-Optic Fro	ont Sight		
9-Shot	50771	12	8+1	20" Hvy-Walled	LPA Ghost Ring	Cylinder Bore	41"	13.87"	Parkerized	Synthetic Stock w/Corncob Forend (Black)	7 lbs
590A1 – 9-SHOT											
9-Shot - M-LOK	50768	12	8+1	20" Hvy-Walled	XS Ghost Ring	Cylinder Bore	41"	13.87"	Parkerized	Syn. +4 Shell Holder w/M-LOK Forend (Black)	7 lbs
9-Shot	51660	12	8+1	20" Hvy-Walled	Bead	Cylinder Bore	41"	13.87"	Parkerized	Synthetic Stock w/Corncob Forend (Black)	7 lbs
9-Shot	51663	12	8+1	20" Hvy-Walled	Ghost Ring	Cylinder Bore	41"	13.87"	Parkerized	Synthetic Stock w/Corncob Forend (Black)	7 lbs
9-Shot	51668	12	8+1	20" Hvy-Walled	Ghost Ring	Cylinder Bore	41"	13.87"	Parkerized	Syn. +4 Shell Holder Stock w/Corncob Forend (Black	<) 7 lbs
590A1 RETROGRADE -	9-SHOT	He	at Shield (F	or more informatio	n, see Pages 32-	33)					
9-Shot	51665	12	8+1	20" Hvy-Walled	Ghost Ring	Cylinder Bore	41"	13.87"	Parkerized	Walnut Stock & Walnut Forend	7.25 lbs
590A1 NFA/CLASS 3 -	6-SHOT	14"	Barrel, NFA	VClass 3 Models r	equire Tax Stamp	o for transfers					
6-Shot – NFA/Class 3	51689	12	5+1	14" Hvy-Walled	Ghost Ring	Cylinder Bore	33.75"	13.87"	Parkerized	Syn. +4 Shell Holder Stock w/Corncob Forend (Black	<) 6.75 lbs

\*Overall Length: Measured when adjustable stock is at its minimum length of pull. LOP: Length of pull. 6-Pos. Adj: 6-Position adjustable stock. Length of pull is adjusted using the integrated lever. XS Ghost Ring: Picatinny rail mounted rear ghost ring, and AR-style white stripe front sight. LPA Ghost Ring: Picatinny rail-mounted rear ghost Ring and elevated front fiber optic sights. M-LOK: Mounting slots on forend's sides and bottom are compatible with M-LOK equipped accessories. +4 Shell Holder: Stock holds 4 extra rounds. "Weight: Measured without spacers, when adjustable stock is at its minimum length of pull. SGA, M-LOK and MOE are registered trademarks of Magpul Industries Corp. SGA Adj/Spacers: Magpul SGA stock's length of pull is adjusted in .5" increments using four stock spacer inserts. Cheek Riser: SGA stock rounds in low interchangeable cheek riser combs: flush and .25" rise. Sling plates: Magpul everiver and barter-mounted sling plates provided. NFA/Class 3: Subject to, and regulated under, the National Firearms Act (NFA). Requires a tax stamp for transfers. All models include a free gun lock. Not all products are available in all states and jurisdictions. Check your state and local laws and regulations.

## **590**<sup>®</sup> Pump-Action Shotguns





The Mighty 590. With decades of performance and success stories under its belt, it's no surprise that the 590 chosen for home defense needs worldwide.

The Mossberg 590 offers a range of customized stock and sight features right out of the box, with several models offering the flexibility of an added pistol grip kit. Other models utilize the FLEX System, with adjustable stocks and forends compatible with a robust lineup of FLEX accessories. Available in three gauges, the ruggedly-built 590 lineup offers a variety of capacities, finishes, and configurations.

#### 590 FEATURES

- · 6-Shot, 7-Shot, or 9-Shot
- 12 Gauge, 20 Gauge, and .410 Bore
- Drilled and tapped receiver
- Standard pump-action features include dual extractors, steel-to-steel lockup, top-mounted ambidextrous safety, twin action bars, and anti-jam elevator



Many 590 models are offered with rear-adjustable/front post standard Ghost Ring sights (left). The 590 SPX Adjustable model (right) has a top accessory rail-mounted rear-adjustable LPA° Ghost Ring sight with an elevated winged front fiber optic.



Many 590 shotguns come with an additional Pistol Grip Conversion Kit.



The 590 Series offers forend variety, including (left to right): the Mossberg<sup>®</sup> M-LOK<sup>®</sup> compatible version with five rows of mounting slots on both sides and bottom, Tri-Rail forend with mini side-rails, and the FLEX<sup>®</sup> Tri-Rail with touchpad accommodation. All offer easy customization for a variety of tactical accessories. (Accessories shown, not included)



FOR SPECIFICATIONS, SEE PAGE 27









The signature top-mounted safety is conveniently located and highly visible for ease of use for right- or left-handed shooters.



All 590 models have a convenient clean-out magazine tube with screw-off cap for easy maintenance.



#### **590** | 3" Chamber

		GAUGE/	2.75"				OVERALL				APPROX.
ТҮРЕ	ITEM #	BORE	CAPACITY	BARREL/TYPE	SIGHTS	CHOKES	LENGTH	LOP	METAL FINISH	STOCK/FOREND & FINISH	WEIGHT
590 THUNDER RANCH – 6	SHOT										
6-Shot	52145	12	5+1	18.5" Stand-Off	Fiber Optic	Cylinder Bore	35.5"	13"	Matte Blue	Synthetic Stock & M-LOK Forend (KUIU Camo)	6.75 lbs
590 SHOTGUNS – 7-SHOT	& 9-SHO	τ I V	Nith Full-Le	ngth Stock							
7-Shot – Persuader	50778	12	6+1	18.5"	Bead	Cylinder Bore	39.5"	13.87"	Matte Blue	Synthetic Stock & Corncob Forend (Black)	6.75 lbs
9-Shot – Persuader/M-LOK	50674	12	8+1	20"	Ghost Ring	Cylinder Bore	41"	13.87"	Matte Blue	Synthetic Stock & M-LOK Forend (Black)	7.25 lbs
9-Shot – Persuader	50693	12	8+1	20"/Heat Shield	Ghost Ring	Cylinder Bore	41"	13.87"	Matte Blue	Synthetic Stock & Corncob Forend (Black)	7.75 lbs
9-Shot – Compact	50699	20	8+1	20"	Ghost Ring	Cylinder Bore	40"	13"	Matte Blue	Synthetic Stock & Corncob Forend (Black)	7.25 lbs
7-Shot – Persuader	50698	20	6+1	18.5"	Bead	Cylinder Bore	39.5"	13.87"	Matte Blue	Synthetic Stock & Corncob Forend (Black)	7 lbs
7-Shot – Persuader	50700	.410	6+1	18.5"	Bead	Cylinder Bore	39.5"	13.87"	Matte Blue	Synthetic Stock & Corncob Forend (Black)	7 lbs
590 RETROGRADE SHOTG	UNS – 7-	SHOT 8	& 9-SHOT	With Walnu	it Stock & Fore	nd (For more inf	ormation, se	e Pages 32-33)			
7-Shot – Retrograde	52151	12	6+1	18.5"/Heat Shield	d Bead	Cylinder Bore	39.5"	13.87"	Matte Blue	Walnut Stock & Walnut Corncob Forend	7 lbs
9-Shot – Retrograde	52150	12	8+1	20"/Heat Shield	Bead	Cylinder Bore	41"	13.87"	Matte Blue	Walnut Stock & Walnut Corncob Forend	7.25 lbs
590 PERSUADER <sup>®</sup> /CRUISE	ER® SHOT	GUNS -	- 9-SHOT	With Full-L	ength Stock &	Pistol Grip Conv	ersion Kit				
9-Shot – Persuader & Pistol Grip Kit	50694	12	8+1	20"/Heat Shield	Bead	Cylinder Bore	41" 29.62"	13.87"	Matte Blue	Synthetic Stock & Corncob Forend, Pistol Grip Conversion Kit (Black)	7.75 lbs 5.75 lbs
9-Shot – Mariner® & Pistol Grip Kit	50299	12	8+1	20"	Bead	Cylinder Bore	41" 29.62"	13.87"	Marinecote	Synthetic Stock & Corncob Forend, Pistol Grip Conversion Kit (Black)	7.75 lbs 5.75 lbs
590 FLEX <sup>™</sup> ADJUSTABLE 1	TACTICAL	SHOT	GUN – 9-S	HOT   With	FLEX Connecto	r Equipped 6-Pe	osition Stock	& FLEX Tactical	Forend		
9-Shot – FLEX	51672	12	8+1	20"	Bead	Cylinder Bore	38.12"*	10.75-14.25"	Matte Blue	Synthetic FLEX 6-Pos Adj. Stock & FLEX Tactical Fore	nd 7 lbs
590 ADJUSTABLE/CRUISE	ER SHOTG	iuns –	7-SHOT &	9-SHOT	With FLEX Con	nector-Equipped	6-Position S	Stock & FLEX Co	nnector-Equipp	ed Pistol Grip	
7-Shot – FLEX 6-Pos Adj. & FLEX Pistol Grip	50691	12	6+1	18.5"	Bead	Cylinder Bore	36.37" 28.12"	10.75-14.25"	Matte Blue	Synthetic FLEX 6-Pos Adj. Stock & Strapped Forend, FLEX Pistol Grip (Black)	6.75 lbs 5.75 lbs
7-Shot SPX – FLEX 6-Pos Adj. & FLEX Pistol Grip	50696	12	6+1	18.5"	Rail-Mounted LPA Ghost Ring	Cylinder Bore	36.37" 28.12"	10.75-14.25"	Matte Blue	Synthetic FLEX 6-Pos Adj. Stock & Strapped Forend, FLEX Pistol Grip (Black)	7 lbs 5.75 lbs
9-Shot – FLEX 6-Pos Adj. & FLEX Pistol Grip	50695	12	8+1	20"	Bead	Cylinder Bore	37.75" 29.62"	10.75-14.25"	Matte Blue	Synthetic FLEX 6-Pos Adj. Stock & Corncob Forend, FLEX Pistol Grip (Black)	7.75 lbs 6.5 lbs

\*Overall Length: Measured when stock is at its minimum length of pull. LOP: Length of pull. FLEX: FLEX stock, pistol grip or Tactical forend. Utilizes quick change Tool-less Locking System connectors. 6-Post: 6-Postion adjustable stock with removable side saddle shell holder. Length of pull is adjusted using the integrated lever. Stock has interchangeable recoil pad capability (Other thicknesses, sold separately, see page 92). LPA Ghost Ring: Picatinny rail-mounted rear Ghost Ring and elevated front fiber optic sights. M-LOK: Mounting slots on the forend's sides and bottom are compatible with M-LOK equipped accessories. Magpul and M-LOK are registered trademarks of Magpul Industries Corp. FLEX Tactical Forend: Forend has full-length bottom rail/two short side rails, ambidextrous buchpad accommodation. All models include a free gun lock.





## New 590S models feature the added benefit of optic-ready convenience.

Innovative receiver cuts allow 590S shotguns to accept lowprofile direct mounting of Shield RMSc-pattern micro dot sights, for improved eye alignment and target acquisition. A cover plate is included when a sight is not mounted. (Micro dot sight shown, not included)

#### **590S FEATURES**

- Dual Extractors, Twin Action Bars, Positive Steel-to-steel Lockup, Anti-jam Elevator
- Top-mounted Ambidextrous Safety
- Convenient Cleanout Magazine
  Tube w/Cap







**Designed for Flexibility.** A redesigned Elevator and Bolt Slide, plus the addition of an energyabsorbing Bumper, makes the 590S capable of cycling a range of 12GA shells — straight out of the box.



The new 590S Series provides complete shotshell flexibility— Load a common shell length based on specific use...



ТҮРЕ	ITEM #	GAUGE	MAXIMUM CA 1.75" SHELLS	APACITIES* BY SH 2.75" Shells	ELL LENGTH 3" SHELLS	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK/FOREND & FINISH	APPROX WEIGHT
590S OPTIC-READY	Optic-F	leady Rec	eiver										
NEW 18.5" Barrel	51605	12	9+1	6+1	5+1	18.5"	Bead	Cylinder Bore	39.5"	13.87"	Matte Blue	Synthetic Stock & Corncob Forend (Black)	6.75 lbs
NEW 20" Barrel	51604	12	13+1	8+1	7+1	20"	Bead	Cylinder Tube	41"	13.87"	Matte Blue	Synthetic Stock & M-LOK Forend (Black)	7.25 lbs
590S													
20" Barrel	51602	12	13+1	8+1	7+1	20"	Ghost Ring	Cylinder Tube	41"	13.87"	Matte Blue	Synthetic Stock & M-LOK Forend (Black)	7.25 lbs

Maximum Capacities\*: Depending upon shotshell tolerance variations and firearms model configuration, total capacity may be reduced by one shotshell. As a firearm owner or potential owner, you are responsible for complying with all applicable laws including but not limited to any state or local restrictions regarding possession or capacity. Check with your local retailer or State Police for laws that may be applicable to you. Since such regulations are subject to change, state and local authorities are in the best position to advise on such matters. M-LOK: Mounting holes on forend's sides and bottom are compatible with M-LOK equipped accessories. LOP: Length of pull. Shockwave is a trademark of Shockwave Technologies, Inc. M-LOK is a registered trademark of Magpul Industries Corp. All models include a free gun lock.

## 590M<sup>®</sup> MAG-FED Pump-Action Shotguns

### MOSSBERG



590M - Heat Shield 12GA | 10-Round Detachable Magazine | #50206



Mag-Fed Done Right. With better balance, better



590M 12GA | 10-Round Detachable Magazine | #50205

construction, and better, more compact magazine designs than the competition, the Mossberg 590M is a superior detachable magazine shotgun. As the first production double-stack magazines made for pump-actions, they offer a shorter length vs. capacity than competitor's single-stack design.

#### **590M MAG-FED FEATURES**

- 12 Gauge with 10-Round detachable magazine
- Accessory magazines available in 5, 10, 15 and 20-round capacities (shown at right)
- · Steel ambidextrous magazine release button and housing
- · Stabilizing ribs on the magazine engage the receiver for secure lockup with mounted magazine
- · Drilled and tapped receiver
- Standard pump-action features include dual extractors, steel-tosteel lockup, top-mounted ambidextrous safety, and twin action bars



#95138 #95139 #951/10

590M Accessory Magazines



All-steel magazine release button and housing are optimally positioned in front of the trigger guard for quick, ambidextrous access for reloading - and will not interfere with cycling the action.



590M shotguns and magazines are uniquely designed, incorporating stabilizing ribs that engage the magazine directly to the receiver for a sure lockup.



Hardened steel feed lips and overmolded steel shell ramps ensure efficient feeding. Anti-cant rounded follower improves feeding; round limiter improves spring life.



Removable floor plate for easy cleaning; ASTM-A-228 music wire springs improve feeding, increase durability, and prolong service life.

590M MAG-FED	2.75	" Cha	amber, Logo E	ngraved Receiver							
ТҮРЕ	ITEM #	GA.	2.75" CAPACITY	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK/FINISH	APPROX. WEIGHT
590M	50205	12	10+1	18.5" Hvy-Walled	Bead	Cylinder Bore	39.5"	13.87"	Matte Blue/Logo Embellished Receiver	Synthetic (Black)	7.75 lbs
590M – Heat Shield	50206	12	10+1	18.5" Hvy-Walled/Heat Shield	Ghost Ring	Cylinder Tube	39.5"	13.87"	Matte Blue/Logo Embellished Receiver	Synthetic (Black)	7.75 lbs
Chamber: 590M shotours require the use of 2.75' shotshelis. LOP: Lendth of oull. Weight: Calculated with emoty mounted 10-round magazine. All models include a free our lock. Not all orducts are available in all states and iurisdictions. Check your state and local laws and regulations.											

590M Shockwave also available, see page 17.

#### 590M MAG-EED ACCESSORY MAGAZINES

	AUULUU		AUAZINE					
ТҮРЕ	ITEM #	GA.	2.75" CAPACITY	TYPE	DIMENSIONS	MATERIAL/CONSTRUCTION	FEED LIPS	APPROX. WEIGHT
5-Round Magazine	95137	12	5	Double-Stack	2.5"L x 3.5"W x 5.375"H	High-Impact Polymer Tower, with Proprietary Self-Lubricating Polymer Body	Hardened Steel	0.96 lbs
10-Round Magazine	95138	12	10	Double-Stack	2.5"L x 3.5"W x 8.0"H	High-Impact Polymer Tower, with Proprietary Self-Lubricating Polymer Body	Hardened Steel	1.26 lbs
15-Round Magazine	95139	12	15	Double-Stack	2.5"L x 3.5"W x 10.375"H	High-Impact Polymer Tower, with Proprietary Self-Lubricating Polymer Body	Hardened Steel	1.46 lbs
20-Round Magazine	95140	12	20	Double-Stack	2.5"L x 3.5"W x 12.625"H	High-Impact Polymer Tower, with Proprietary Self-Lubricating Polymer Body	Hardened Steel	1.70 lbs

Magazines: Work exclusively with Mossberg 590M Shotguns, using 2.75" shotshells. Weights: Calculated without shotshells. Patented: Design components including double-stack design are covered by patents owned by Adaptive Tactical LLC. Self-lubricating: Dupont proprietary self-lubricating polymer body improves feeding and reduces internal friction. Not all products are available in all states and jurisdictions. Check your state and local laws and regulations.

## **RETROGRADE SERIES** Pump-Action Shotguns











**590® Retrograde** 12GA | 7-Shot | #52151

> A throwback to the look of our first tactical pumps, Retrograde models feature a walnut stock with checkered grip and vented recoil pad, and matching forend. Models also include the features that have made Mossberg the choice for millions of users worldwide, including an ambidextrous safety, dual extractors, positive steel-to-steel lockup, twin action bars, and an anti-jam elevator for smooth operation.

#### **RETROGRADE SERIES FEATURES**

- **590**: 12GA, 7-Shot with Heat Shield or 9-Shot with Heat Shield and Bayonet Lug, Magazine Clean-out Tube, Matte Blue finish
- **590A1:** 12GA, 9-Shot with Heat Shield and Bayonet Lug, Ghost Ring Sights, MIL-SPEC 3443G Construction: Heavy-Walled Barrel, Metal Trigger Guard & Metal Safety Button, Magazine Clean-out Tube, Parkerized finish
- 500: 12GA, 6-Shot, Blued Finish

RETROGRADE SE	RIES   3" (	Chamb	er, Walnut S	Stock & Forend							
ТҮРЕ	ITEM #	GA.	2.75" CAP.	BARREL	SIGHTS	BORE	OVERALL LENGTH	LOP	METAL FINISH	STOCK/FOREND & FINISH	APPROX. WEIGHT
590 RETROGRADE	Heat Shield										
7-Shot	52151	12	6+1	18.5"/Heat Shield	Bead	Cylinder Bore	39.5"	13.87"	Matte Blue	Walnut Stock & Walnut Corncob Forend	7 lbs
9-Shot	52150	12	8+1	20"/Heat Shield	Bead	Cylinder Bore	41"	13.87"	Matte Blue	Walnut Stock & Walnut Corncob Forend	7.25 lbs
590A1 RETROGRADE	Heat Shie	eld									
9-Shot	51665	12	8+1	20" Hvy Wall/Heat Shield	Ghost Ring	Cylinder Bore	41"	13.87"	Parkerized	Walnut Stock & Walnut Corncob Forend	7.25 lbs
500 PERSUADER RE	TROGRADE										
6-Shot	50429	12	5+1	18.5"	Bead	Cylinder Bore	39.5"	13.87"	Blue	Walnut Stock & Walnut Corncob Forend	6.75 lbs
LOP: Length of pull. All mode	ls include a free gun	lock.									

## 500<sup>®</sup> ATI<sup>®</sup> TACTICAL Pump-Action Shotguns



### MOSSBERG







Functional, High-End 500 ATI Features: A removable pair of front accessory rails, heat shield-mounted winged sight, receiver-mounted side saddle shellholder, rubberized rear grip insert, and adjustable stock and comb.

Mossberg has teamed with ATI to outfit these models with an exceptional set of coordinated components: T3® TactLite® 6-Position Adjustable Stock, Pistol Grip, Heat Shield, Akita® Forend, Receiver-Mounted and Barrel-Mounted Rails, Halo® Side Saddle with nine polymer Add-A-Shell<sup>®</sup> Repositionable Shell Holders

#### **500 ATI FEATURES**

- 6-Shot
- 12 Gauge
- · Adjustable stock (3.87" LOP range)
- · Standard pump-action features include dual extractors, steel-to-steel lockup, twin action bars, and anti-jam elevator
- · Ambidextrous top-mounted safety

#### 

JUU ATT TAGTIGAL		annuci									
TYPE	ITEM #	GAUGE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK/FOREND & FINISH	APPROX. WEIGHT
500 ATI TACTICAL** -	- 6-SHOT										
6-Shot – Adjustable**	50431	12	5+1	18.5"+ ATI Heat Shield	Winged Post & Bead	Cylinder Bore	36.37"*	10.75-14.62"	Matte Blue	ATI 6-Pos. Adj. Synthetic Stock & Akita Forend (Destroyer Gray & Black)	6.75 lbs
6-Shot – Adjustable**	50424	12	5+1	18.5"+ ATI Heat Shield	Winged Post & Bead	Cylinder Bore	36.37"*	10.75-14.62"	Matte Blue	ATI 6-Pos. Adj. Synthetic Stock & Akita Forend (Flat Dark Earth & Black)	6.75 lbs

\*\*DEALERS CAN ONLY ORDER 500 ATI TACTICAL MODELS (#50424 AND #50431) THROUGH A TALO GROUP DISTRIBUTOR. VISIT WWW.TALOINC.COM FOR MORE INFORMATION.

\*Overall Length: Measured when adjustable stock is at its minimum length of pull. LOP: Length of pull. ATI Heat Shield: Halo heat shield has dovetail mount twin front 2" rails, and front winged post sight. Side Saddle: Halo side saddle comes with 9 removable/repositionable polymer Add-A-Shell units and removable top rail. ATI 6-position Adj.: TactLite T3 6-position adjustable stock with X2 recoil-reducing rubber rear pad and grip pad, adjustable cheek riser (1" vertically). Stock's length of pull is adjusted using the integrated lever. ATI, TactLite, Halo, Akita, and Add-A-Shell are registered trademarks of Advanced Technology International. All models include a free gun lock.



## **MAVERICK® 88** Pump-Action Shotguns





6-Shot	31014	12	5+1	18.5" 28" VR	Bead Bead	Cylinder Bore Modified Tube	39.5" 47.75"	14.5" 14.5"	Blue Blue	Synthetic Stock w/Corncob Forend (Black)
--------	-------	----	-----	-----------------	--------------	--------------------------------	-----------------	----------------	--------------	--

VR: Vent rib. LOP: Length of pull. ATI and Shotforce are registered trademarks of Advanced Technology International. All models include a free gun lock.

6.25 lbs 7 lbs

## 940<sup>®</sup> PRO TACTICAL Autoloading Shotguns







940 Pro Tactical - Optic-Readiness. Receiver cuts with a removable plate allow direct mounting of Shield RMScpattern micro dot sights— for improved eye alignment and target acquisition.




Tactical Functionality, Accu-Choke<sup>™</sup> Compatibility. Besides being optic-ready out-of-thebox, other functional features include: a knurled charging handle, an oversized ergonomic bolt release, a barrel clamp with swivel stud and dual-sided M-LOK<sup>®</sup> slots for accessory customization, and a front fiber optic sight. All 940 Pro Tactical barrels are threaded for use with Accu-Choke interchangeable choke tubes— a cylinder constriction tube comes installed.

#### 940 PRO TACTICAL FEATURES

- 8-Shot
- 12 Gauge
- Cleaner-running gas-vent system, longer cleaning intervals
- Ergonomic bolt release button, also allows for quick-empty unloading
- · Drilled and tapped receiver
- Ambidextrous top-mounted safety



Built for Ease of Loading. An enlarged and beveled loading port was specifically configured for ease of loading; features an anodized bright orange follower, and an elongated, pinch-free elevator.



Adjustable LOP Stock is user-adjustable (1.75" range), and adjustable for drop at comb/cast using incremental stock shims. It is self-draining, and has aggressive Mossberg signature texturing on the grip and the slim, ergonomic forend.



Cleaner-Running Gas System. Redesigned 940 gas system allows faster, more reliable cycling at much greater cleaning intervals up to 1500 rounds.

ТҮРЕ	ITEM #	GAUGE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK & FINISH	APPROX. WEIGHT
940 PRO TACTICAL	SHOTGUN										
NEW 8-Shot	85152	12	7+1	18.5"	Front FO	Cylinder Tube (Accu-Choke)	37"	12.5-14.25"	Matte Blue	Full-Length Syn./Pistol Grip (Black)	7.25 lbs
40 PRO TACTICAL - HOLOSUN <sup>®</sup> MICRO DOT COMBO   Holosun <sup>®</sup> HS407K, 1X, 6 MOA Dot Reticle, 12 Brightness Settings, 50K Hours Battery Life, Paralax-free Optic with Unlimited Eye Relief											
NEW) 8-Shot Combo	85161	12	7+1	18.5"	Front FO/Micro Dot	Cylinder Tube (Accu-Choke)	37"	12.5-14.25"	Matte Blue	Full-Length Syn./Pistol Grip (Black)	7.25 lbs


## 930<sup>®</sup> TACTICAL Autoloading Shotguns

### MOSSBERG



#### **930 TACTICAL FEATURES**

- 8-Shot
- 12 Gauge
- · Dual gas-vent system
- Quick-empty bolt release button allows easy unloading
- · Drilled and tapped receiver
- · Top-mounted safety
- SPX models feature LPA ghost ring sights, top Picatinny rail, and full-length pistol grip stock





The knurled, extended charging handle provides a sure grip when retracting the bolt — even with gloves. A quick-empty magazine release button on the receiver makes unloading a snap.



930 Tactical models have an extended magazine tube providing an additional three rounds capacity, while retaining a compact 18.5" barrel.

#### 930 TACTICAL | 3" Chamber ITEM # GALIGE 2 75" CAP BARREI SIGHTS CHOKES OVERALL LENGTH METAL FINISH STOCK & FINISH APPROX WEIGHT TYPE I OP 930 SPX PISTOL GRIP – 8-SHOT | Full-Length Pistol Grip Stock, Picatinny Rail 8-Shot – Pistol Grip 85223 12 7+1 18.5" LPA Ghost Ring Cylinder Bore 38.75" 13.75" Coyote Tan Full-Length Syn./Pistol Grip (Black) 7.25 lbs 85370 12 7+1 13.75" Full-Length Syn./Pistol Grip (Black) 7.25 lbs 8-Shot - Pistol Grip 18.5" LPA Ghost Ring Cylinder Bore 38.75" Matte Blue

LOP: Length of pull. Accu-Set: Includes Full, Modified, and Improved Cylinder chokes. LPA Ghost Ring: Picatinny rail-mounted rear Ghost Ring and elevated front fiber optic sights. All models include a free gun lock.






# SHOTGUNS

### MOSSBERG

FIELD / SPORTING

# 500<sup>®</sup> FIELD Pump-Action Shotguns





Mossberg's 500 Series sets the standard for hunting pump-actions. A short cycling time lets you identify and point to a new target quickly and efficiently, and their overall simplicity means higher durability at a lower cost. The 500 is the most versatile shotgun platform available on the market - it's no wonder that over 12 million have been sold.



#### **500 FIELD FEATURES**

- 6-Shot
- 12 Gauge, 20 Gauge, and .410 Bore
- · All-Purpose Field and Turkey options
- Standard pump-action features include dual extractors, steel-to-steel lockup, top-mounted ambidextrous safety, twin action bars, and anti-jam elevator
- Interchangeable chokes (excludes All-Purpose .410)
- Wide range of accessory barrels to expand your shooting seasons
- · 500 FLEX model utilizes quick-release stock, forend and recoil pad connectors to easily switch shooting applications. See Page 88 for more information on FLEX accessories.





The 500 Retrograde Field sports the classic, 500 Field models include Bead throwback look of walnut furniture, a nod to and Fiber Optic sight offerings. Mossberg's earliest pump-actions.

TYPE	ITEM #	GAUGE/BORE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	FINISH	STOCK	APPROX. WEIGH
500 – TURKEY/OPTIC-F	EADY	Optic-Ready	Receiver w	/Cover Plate							
NEW Turkey/Optic-Ready	54337	20	5+1	22" VR	Fiber Optic	X-Factor Ptd Tube	39.25"	13.87"	MO Greenleaf	Synthetic (Greenleaf)	6.75 lb:
NEW) Turkey/Optic-Ready	50107	.410	5+1	24" VR	Fiber Optic	X-Full Extended Tube	43.75"	13.87"	MO Greenleaf	Synthetic (Greenleaf)	6.25 lb
500 – TURKEY											
Turkey	52280	12	5+1	20" VR	Fiber Optic	X-Factor Ptd Tube	40.25"	13.87"	MO Obsession	Synthetic (Obsession)	7 lt
500 TACTICAL TURKEY	6-Posi	tion Adjustabl	e LOP Stock	w/FLEX Pad, S	Shellholder						
Turkey	53265	12	5+1	20" VR	Fiber Optic	X-Factor Ptd Tube	36.5"*	10.75-14.62"	MO Obsession	6-Pos Adj. Stock w/FLEX Pad, Shellholde	r 7.25 lt
00 RETROGRADE – FIE	LD   Fir	nely Checkere	d, High-Glos	s Walnut Stock	and Forend, Clas	ssic Red Butt Pad with Pac	hmayr Spacer, J	eweled Bolt			
NEW All Purpose	50430	12	5+1	28" VR	Dual Bead	Accu-Set	47.5"	13.87"	Blue	Walnut Stock and Corncob Forend	7.5 lt
500 – ALL PURPOSE FII	ELD										
All Purpose	50120	12	5+1	28" VR	Dual Bead	Accu-Set	47.5"	13.87"	Blue	Wood	7.5 lt
All Purpose	56420	12	5+1	28" VR	Dual Bead	Accu-Set	48.5"	13.87"	Matte Blue	Synthetic (Black)	7.5 lt
All Purpose	50136	20	5+1	26" VR	Dual Bead	Accu-Set	45.5"	13.87"	Blue	Wood	7 lt
All Purpose	56436	20	5+1	26" VR	Dual Bead	Accu-Set	45.25"	13.87"	Matte Blue	Synthetic (Black)	7 lt
All Purpose	50104	.410	5+1	24" VR	Dual Bead	Fixed Full	43.75"	13.87"	Blue	Wood	6.25 lt
500 FLEX ALL-PURPOS	E   FLE>	System Conr	nectors on St	tock, Forend, a	ind Recoil Pad						
500 FLEX	50121	12	5+1	28" VR	Dual Bead	Accu-Set	48.25"	14.25"	Matte Blue	FLEX Std. Synthetic (Black)	7.5 lt

\*Overall Length: Measured at minimum length of pull. LOP: Length of pull. Accu-Set: Includes Full, Modified and Improved Cylinder choke tubes. VR: Vent rib. 6-Pos: 6-position adjustable LOP stock with side-saddle shellholder and adjustable comb. Length of pull is adjusted using integrated lever. Stock uses FLEX recoil pad, compatible with other FLEX pads (sold separately). FLEX: Utilizes FLEX System Stock, Forend, and Recoil Pad components with quick-change connectors. See Page 88 for FLEX Accessories. MO: Mossy Oak Brand Carno. Mossy Oak, Greenleaf, and Obsession are registered trademarks of Haas Outdoor, Inc. All models include a free gun lock.

# 500<sup>®</sup> FIELD COMBOS Pump-Action Shotguns







Several 500 Field Combo models feature Mossberg's Dual Comb® stock, which is supplied with interchangeable combs – high-profile (for sighting with mounted optics) or low-profile (for sighting down the barrel) – in Wood and Synthetic.



Mounting optics is a snap with the Integral Scope Base/Cantilever barrel found on several 500 Slug models. Improves eye alignment and provides a quicker return to zero season after season. Two models include a 2.5x20 scope (shown above).



500 Combo shotgun sight offerings include (from top): Adjustable Rifle (Slug); plus Bead and Fiber Optic selections.

Durable and easy to maintain, these highly adaptable pump-action shotguns in two-barrel combo sets cover multiple seasons and disciplines.

#### **500 FIELD COMBO FEATURES**

- Field models with accessory Slugster<sup>®</sup> or Security barrel
- 6-Shot
- 12 Gauge and 20 Gauge
- Standard pump-action features include dual extractors, steel-to-steel lockup, top-mounted ambidextrous safety, twin action bars, and anti-jam elevator

TYPE	ITEM #	GAUGE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	FINISH	STOCK	APPROX. WEIGHT
OO COMBOS											
Turkey/Deer Combo	53270	12 12	5+1 5+1	24" VR 24" Fluted	Fiber Optic Adj. Rifle	XX-Full Fully Rifled Bore	43.5" 43.5"	13.87" 13.87"	MO Break-Up Country MO Break-Up Country	Synthetic	7.5 lbs 7.5 lbs
Field/Deer Combo	54243	12 12	5+1 5+1	28" VR 24"	Dual Bead ISB	Accu-Set Fully Rifled Bore	47.5" 43.5"	13.87" 13.87"	Blue Blue	Wood (Dual Comb)	7.5 lbs 7.25 lbs
Field/Deer Combo	54264	12 12	5+1 5+1	28" VR 24"	Dual Bead Adj. Rifle	Accu-Set Fully Rifled Bore	47.5" 43.5"	13.87" 13.87"	Blue Blue	Wood	7.5 lbs 7.25 lbs
Field/Security Combo	54169	12 12	5+1 5+1	28" VR 18.5"	Dual Bead Bead	Accu-Set Cylinder Bore	47.5" 39.5"	13.87"	Blue Blue	Wood Pistol Grip Kit	7.5 lbs 6.75 lbs
Field/Deer Combo	52282	12 12	5+1 5+1	28" VR 24"	Dual Bead Adj. Rifle	Accu-Set Fully Rifled Bore	47.5" 43.5"	13.87" 13.87"	MO Break-Up Country MO Break-Up Country	Synthetic	7.5 lbs 7.25 lbs
Field/Deer Combo	54282	20 20	5+1 5+1	26" VR 24"	Dual Bead Adj. Rifle	Accu-Set Fully Rifled Bore	45.5" 43.5"	13.87" 13.87"	Blue Blue	Wood	7 lbs 7 lbs
Field/Deer Combo	54183	20 20	5+1 5+1	26" VR 24"	Dual Bead Adj. Rifle	Accu-Set Fully Rifled Bore	45.5" 43.5"	13.87" 13.87"	MO Break-Up Country MO Break-Up Country	Synthetic	7 lbs 7 lbs
00 SCOPED CO	MBOS										
Field/Deer Combo	54047	20 20	5+1 5+1	26" VR 24"	Dual Bead ISB w/2.5x20	Accu-Set Fully Rifled Bore	47.5" 43.5"	13.87" 13.87"	Matte Blue Matte Blue	Synthetic (Dual Comb)	7 lbs 7 lbs
Field/Deer Combo	58244	12 12	5+1 5+1	28" VR 24"	Dual Bead ISB w/2.5x20	Accu-Set Fully Rifled Bore	47.5" 43.5"	13.87" 13.87"	Matte Blue Matte Blue	Synthetic (Dual Comb)	7 lbs 7 lbs

\*Overall Length: Measured at minimum length of pull. LOP: Length of pull. Accu-Set: Includes Full, Modified and Improved Cylinder choke tubes. VR: Vent rib. ISB: Integral scope base (Cantilevered). MO: Mossy Oak Brand Camo. Mossy Oak and Break-Up are registered trademarks of Haas Outdoor, Inc. All models include a free gun lock.

# 500<sup>®</sup>/505<sup>™</sup> BANTAM Pump-Action Shotguns



Select Bantam shotguns feature Mossberg's EZ-Reach™ forend, which is conveniently located closer to the shooter for easier pump-action cycling. The reduced distance between trigger and the grip allows for better control and more comfortable trigger operation.



At Mossberg, we're dedicated to ensuring that those who are ready for the responsibility of hunting are safely outfitted with a firearm that fits properly and comfortably. Mossberg Bantam pump-actions have ergonomics built-in: EZ-Reach<sup>™</sup> forends for a shorter reach when cycling the action on select models, a smaller grip for easy trigger reach, and more compact lengths of pull.

#### 500 BANTAM, 500 FLEX, & 505 BANTAM FEATURES

- 6-Shot (500) or 5-Shot (505)
- 12 and 20 Gauge, and .410 Bore
- EZ-Reach<sup>™</sup> forends on select models for easy cycling, and smaller grip and shorter reach to trigger
- Shorter barrels provide a lightweight, balanced feel
- Multi-season 2-barrel Combos
- Standard pump features include dual extractors, steel-to-steel lockup, twin action bars, anti-jam elevator, and a top-mounted ambidextrous safety

# 500<sup>®</sup>/510<sup>®</sup> SUPER BANTAM<sup>™</sup> Pump-Action Shotguns

### MOSSBERG





Developed with an innovative 1" stock spacer, our Super Bantams were designed to provide a proper length-of-pull for a variety of users. And, like Bantam pump-actions, Super Bantams have a smaller grip for easier trigger reach, EZ-Reach<sup>™</sup> forends on select models for shorter reach while cycling the action, and shorter barrel lengths for better control and balance.

#### SUPER BANTAM FEATURES

- · Standard pump features include dual extractors, steel-to-steel lockup, twin action bars, anti-jam elevator, and a top-mounted ambidextrous safety
- Multiple/popular camo finishes

#### **500 SUPER BANTAM**

- · 20 Gauge, 6-Shot
- Multi-season 2-Barrel Combos

#### **510 MINI SUPER BANTAM**

- 4-Shot (20GA) and 3-Shot (.410)
- · Shortest length-of-pull design, 10.5-11.5" utilizing a 1" spacer

FOR SPECIFICATIONS, SEE PAGE 44

# BANTAM/SUPER BANTAM<sup>™</sup> Specifications

### MOSSBERG

500 BANTAM	500 BANTAM   3" Chamber, EZ-Reach Forend (12GA & 20GA), 13" LOP												
ТҮРЕ	ITEM #	GA./BORE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK & FINISH	APPROX. WEIGHT		
All-Purpose	52132	12	5+1	24" VR	Dual Bead	Accu-Set	42.62"	13"	Blue	Wood	7.25 lbs		
All-Purpose	54132	20	5+1	22" VR	Dual Bead	Accu-Set	40.75"	13"	Blue	Wood	6.5 lbs		
All-Purpose	50112	.410	5+1	24" VR	Dual Bead	Fixed - Full	41.75"	13"	Blue	Synthetic (Black)	6 lbs		

500 BANTAM	COMBO	3" Chamber	; Multi-Seaso	on Two-Barr	el Set, EZ-Rea	ch Forend, 13"	LOP				
ТҮРЕ	ITEM #	GA./BORE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK & FINISH	APPROX. WEIGHT
Field/Deer Combo	54188	20 20	5+1 5+1	22" VR 24"	Dual Bead Adj. Rifle	Accu-Set Fully Rifled Bor	40.75" e 42.75"	13" 13"	Blue Blue	Wood Wood	6.5 lbs 6.75 lbs

500 BANTAM F	500 BANTAM FLEX - COMBO   3" Chamber, EZ-Reach Forend, Reduced LOP & Variable LOP Stocks with FLEX Connector, Combo: Multi-Season Two Barrel Set												
ТҮРЕ	ITEM #	GA./BORE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK & FINISH	APPROX. WEIGHT		
Bantam FLEX	54334	20	5+1	22" VR	Dual Bead	Accu-Set	34.5"	12.5"	Blue	FLEX Compact Synthetic (Black)	6.5 lbs		
Bantam FLEX Field/Deer Combo	54330	20 20	5+1 5+1	22" VR 24"	Dual Bead Adj. Rifle	Accu-Set Fully Rifled Bore	34.75" 36.75"	12.75"-14.625" 12.75"-14.625"		FLEX 4 Pos. Adjustable (Black) FLEX 4 Pos. Adjustable (Black)	6.5 lbs 6.75 lbs		

505 BANTAM	3" Chambe	er, EZ-Reach	r Forend, 12"	LOP							
ТҮРЕ	ITEM #	GA./BORE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK & FINISH	APPROX. WEIGHT
All-Purpose	57110	20	4+1	20" VR	Dual Bead	Accu-Set	37.5"	12"	Blue	Wood	5.25 lbs
All-Purpose	57120	.410	4+1	20" VR	Dual Bead	Fixed – Modified	37.5"	12"	Blue	Wood	5.25 lbs

500 SUPER B	ANTAM   3	" Chamber	, EZ-Reach Fo	orend, Variat	ole LOP Synthe	etic Stock wit	h 12" to 13" LOP				
ТҮРЕ	ITEM #	GA./BORE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK & FINISH	APPROX. WEIGHT
500 SUPER BAN	TAM – ALL-PI	JRPOSE									
All-Purpose	54161	20	5+1	22" VR	Dual Bead	Accu-Set	39.75"*	12"-13"	Muddy Girl Wild	Variable LOP Syn./Spacer (Wild)	5.25 lbs
All-Purpose	54210	20	5+1	22" VR	Dual Bead	Accu-Set	39.75"*	12"-13"	Blue	Variable LOP Syn./Spacer (Black)	5.25 lbs
500 SUPER BAN	TAM – WATEF	FOWL									
Waterfowl	54218	20	5+1	22" VR	Fiber Optic	Accu-Set	39.75"*	12"-13"	MO Shadowgrass Blades	Variable LOP Syn./Spacer (Shad. Blades)	5.25 lbs
500 SUPER BAN	tam – Turke	Y									
Turkey	54157	20	5+1	22" VR	Fiber Optic	X-Full	39.75"*	12"-13"	MO Obsession	Variable LOP Syn./Spacer (Obsession)	5.25 lbs

500 SUPER B	ANTAM CO	MBOS 🕴	3" Chamber, I	/lulti-Seaso	n Two-Barrel S	Set, EZ-Reach Fo	orend, Variable I	_OP Syntheti	c Stock with 12" to 13"	LOP	
ТҮРЕ	ITEM #	GA./BORE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK & FINISH	APPROX. WEIGHT
Field/Deer Combo	54215	20 20	5+1 5+1	22" VR 24"	Dual Bead Adj. Rifle	Accu-Set Fully Rifled Bore	39.75"* e 41.75"*	12"-13" 12"-13"	MO Break-Up Country MO Break-Up Country	Variable LOP Syn./Spacer (BU Country) Variable LOP Syn./Spacer (BU Country)	
Field/Deer Combo	54250	20 20	5+1 5+1	22" VR 24"	Dual Bead Adj. Rifle	Accu-Set Fully Rifled Bore	39.75"* e 41.75"*	12"-13" 12"-13"	Blue Blue	Variable LOP Syn./Spacer (Black) Variable LOP Syn./Spacer (Black)	5.25 lbs 5.25 lbs

510 MINI SUP	ER BANTAN	<b>V</b>   3" Ch	namber, Variab	le LOP Syntl	hetic Stock wi	ith 10.5" to 11.5	" LOP				
ТҮРЕ	ITEM #	GA./BORE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK & FINISH	APPROX. WEIGHT
All-Purpose	50499	20	3+1 (2.75")	18.5" VR	Dual Bead	Accu-Set	34.75"*	10.5"-11.5"	Muddy Girl Wild	Variable LOP Syn./Spacer (Wild)	5 lbs
All-Purpose	50497	20	3+1 (2.75")	18.5" VR	Dual Bead	Accu-Set	34.75"*	10.5"-11.5"	MO Break-Up Country	Variable LOP Syn./Spacer (BU Country)	5 lbs
All-Purpose	50485	20	3+1 (2.75")	18.5" VR	Dual Bead	Accu-Set	34.75"*	10.5"-11.5"	Blue	Variable LOP Syn./Spacer (Black)	5 lbs
All-Purpose	50364	.410	2+1 (2.5")	18.5" VR	Dual Bead	Fixed – Modified	34.75"*	10.5"-11.5"	Muddy Girl Wild	Variable LOP Syn./Spacer (Wild)	5 lbs
All-Purpose	50355	.410	2+1 (2.5")	18.5" VR	Dual Bead	Fixed – Modified	34.75"*	10.5"-11.5"	MO Break-Up Country	Variable LOP Syn./Spacer (BU Country)	5 lbs
All-Purpose	50358	.410	2+1 (2.5")	18.5" VR	Dual Bead	Fixed - Modified	34.75"*	10.5"-11.5"	Blue	Variable LOP Syn./Spacer (Black)	5 lbs

\*Overall Length: Measured when stock is set at its minimum length of pull. VR: Vent rib. LOP: Length of pull. Accu-Set: Includes Full, Modified and Improved Cylinder choke tubes. Variable LOP Syn/Spacer: Variable length of pull between 12\*-13" (500 Super Bantam) and 10.5"-11.5" (510 Mini Super Bantam) by use of included stock spacer. MO: Mossy Oak Brand Carno. Mossy Oak, Brank-Up, Shadowgrass Blades, and Obsession are registered trademarks of Haas Outdoors, Inc. Muddy Girl: Mudd


### **MAVERICK® 88** Pump-Action Shotguns





TVDF	3" Chamber		0.75%.040	DADDEL	0101170	0110//50		1.00			
ТҮРЕ	ITEM #	GA.	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK/FOREND & FINISH	APPROX. WEIGHT
MAVERICK 88 – ALL-PURPO	OSE FIELD										
All-Purpose - Camo	31012	12	5+1	28" VR	Dual Bead	Modified Tube	47.75"	14.5"	Blue	Synthetic (Camo)	7 lbs
All-Purpose - Camo	32201	20	5+1	26" VR	Dual Bead	Modified Tube	45.25"	14"	Blue	Synthetic (Camo)	7 lbs
All-Purpose - Camo/Bantam	32203	20	5+1	22" VR	Dual Bead	Modified Tube	39.75"	12"	Blue	Synthetic (Camo)	5.25 lbs
All-Purpose	31010	12	5+1	28" VR	Dual Bead	Modified Tube	47.75"	14.5"	Blue	Synthetic (Black)	7 lbs
All-Purpose	32200	20	5+1	26" VR	Dual Bead	Modified Tube	45.25"	14"	Blue	Synthetic (Black)	7 lbs
All-Purpose - Bantam	32202	20	5+1	22" VR	Dual Bead	Modified Tube	39.75"	12"	Blue	Synthetic (Black)	5.25 lbs
MAVERICK 88 – SLUG											
Slug	31017	12	5+1	24"	Adj. Rifle	Cylinder Bore	43.5"	14.5"	Blue	Synthetic (Black)	6.75 lbs
Slug	31044	12	5+1	24"	Adj. Rifle	Fully Rifled Bore	43.5"	14.5"	Blue	Synthetic (Black)	6.75 lbs
MAVERICK 88 COMBO	3" Chamber,	Multi-Dis	scipline Two-	Barrel Set							
ТҮРЕ	ITEM #	GA.	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK & FINISH	APPROX. WEIGH
Security/Field	31014	12	5+1	18.5"	Bead	Cylinder Bore	39.5"	14.5"	Blue	Synthetic (Black)	6.25 lb
Combo		12	5+1	28" VR	Dual Bead	Modified Tube	47.75"	14.5"	Blue	Synthetic (Black)	7 lb:

# 835<sup>®</sup> ULTI-MAG<sup>®</sup> Pump-Action Shotguns







#### 835 Ulti-Mag: Built for Hardcore Hunting.

Packing a powerful punch and a legacy of reliable performance in the field, the 835 has earned its place with hunters looking to make the leap to the 3.5" platform.

**Optic-Ready Convenience.** 835 innovations continue with a new Turkey shotgun offered optic-ready, with receiver cuts that accept low-profile direct mounting of Shield RMScpattern micro dot sights providing improved eye alignment and target acquisition.

Inset at left: A cover plate is included for when an optic is not in use. (Micro dot sight not included)



TYPE	ITEM #	GA.	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	FINISH	STOCK	APPROX. WEIGHT
835 ULTI-MAG TURK	EY - OPTIC	-READY	Optic-Re	ady Receiver w/Co	ver Plate, Overbored	Barrel					
NEW Turkey/Optic-Ready	62232	12	5+1	24" VR OB	Fiber Optic	Ulti-Full Tube	44.75"	13.87"	MO Greenleaf	Synthetic (Greenleaf)	7.5 lbs
835 ULTI-MAG TACT	ICAL TURK	<b>Y</b> <sup>∞</sup>   Ov	erbored Barr	el, 6-Position Adjus	table LOP Stock w/F	LEX Pad, Shellholder					
Turkey	63102	12	5+1	20" VR OB	Fiber Optic	X-Factor Ptd Tky Tube	40.75"*	10.75-14.25"	MO Obsession	6-Pos Adj. Stock w/FLEX Pad	7 lbs
835 ULTI-MAG TURK	EY/FIELD	Overbore	ed Barrel, Acc	u-Mag Choke Set	& X-Factor Ported Ul	ti-Full Turkey Tube					
Turkey/Field	63527	12	5+1	26" VR OB	Fiber Optic	Accu-Mag Set + X-Factor Ptd Tky Tube	46.75"	13.87"	MO Bottomland	Synthetic (Bottomland)	7.5 lbs
835 ULTI-MAG WATE	RFOWL	Overbored	Barrel								
Waterfowl	63521	12	5+1	28" VR OB	Fiber Optic	Accu-Mag Set	48.75"	13.87"	MO Shadowgrass Blades	Synthetic (Shadowgrass Blades	s) 7.75 lbs

OUD DELL MAG		0.0 0.			0 24.101 001						
ТҮРЕ	ITEM #	GA.	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	FINISH	STOCK	APPROX. WEIGHT
Turkey/Deer Combo	62419	12 12	5+1 5+1	24" VR OB 24"	Fiber Optic ISB	Ulti-Full Tube Fully Rifled Bore	44.75" 44.75"	13.87" 13.87"	MO Break-Up Country MO Break-Up Country	Synthetic (Dual Comb)	7.5 lbs 7.5 lbs
Turkey/Waterfowl Combo	62437	12 12	5+1 5+1	24" VR OB 28" VR OB	Fiber Optic Fiber Optic	Ulti-Full Tube Accu-Mag Set	44.75" 48.75"	13.87" 13.87"	MO Break-Up Country MO Break-Up Country	Synthetic	7.5 lbs 7.75 lbs
Field/Deer Combo	68224	12 12	5+1 5+1	28" VR OB 24"	Dual Bead Adj. Rifle	Accu-Mag Set Fully Rifled Bore	48.75" 44.75"	13.87" 13.87"	Blue Blue	Wood	7.75 lbs 7.5 lbs

\*Overall Length: Measured at minimum length of pull. LOP: Length of pull. Accu-Mag Set: Includes Full, Modified and Improved Cylinder choke tubes. VR: Vent rib. 6-Pos: 6-position adjustable LOP stock with side-saddle shellholder and adjustable comb. Length of pull is adjusted using integrated lever. Stock uses FLEX recoil pad, compatible with other FLEX pads (sold separately). ISB: Integral scope base (cantilevered). MO: Mossy Oak brand camo. Mossy Oak, Greenleaf, Bottomland, Obsession, Break-Up and Shadowgrass Blades are registered trademarks of Haas Outdoor, Inc. All models include a free gun lock.

# 940<sup>®</sup> JM PRO Autoloading Competition Shotguns

940 JM PRO


Designed in collaboration with World Champion shooter Jerry Miculek, the new 940 JM Pro is feature-rich, fast-cycling, and ultra-competitive. A winner... right out-of-the-box.

Both accomplished World Champion shooters and multiple title holders, Jerry Miculek and daughter Lena Miculek step to the line with the 940 JM Pro.

940 JM Pro: The Top Gun for 3-Gun. Inside every 940 JM Pro, you will find a new durable gas system, specially-coated or finished internal parts for smooth operation, and a competition-level loading port, elevator, and follower. Outside, a user-adjustable stock and streamlined forend sport Mossberg signature texturing, while a host of stylized, functional components combine for competition - optimizing speed, accuracy, and durability.

#### 940 JM PRO FEATURES

- 10-Shot or 5-Shot
- 12 Gauge
- New, cleaner-running gas-vent system, longer cleaning intervals
- · Quick-empty bolt release button, also allows for easy unloading
- · Drilled and tapped receiver
- · Ambidextrous top-mounted safety
- · Adjustable Stock Drop System
- Briley® extended choke tube set
- · HiViz® TriComp Fiber optic sights









**940 JM Pro - Tungsten Gray** 12GA | 10-Shot | #85111 Also available: 12GA | 5-Shot | #85143





940 JM Pro - MultiCam<sup>®</sup> Black 12GA | 10-Shot | #85113



Cleaner-Running Gas System. The redesigned 940 gas system allows faster, more reliable cycling at much greater cleaning intervals— up to 1500 rounds. And, it's durably built to hold up to the rigors of competition at the highest levels.


Adjustable Length-of-Pull. Competition-ready stock is user-adjustable for LOP (1.25' range), and adjustable for drop at comb and cast using incremental stock shims. Aggressive Mossberg signature texturing adorns the grip and the slim, ergonomic forend.



Built for Quad-Loading. An enlarged and beveled loading port was specifically configured for quad-loading; features an anodized bright orange follower, and an elongated, pinch-free elevator.



Bold & Functional. Receivers are anodized (tungsten gray or black) for superior durability. Oversized and contoured charging handle and bolt release button provide quick manipulation. Briley<sup>®</sup> extended chokes put pellets right where you want them, while the HIVIZ<sup>®</sup> TriComp front fiber optic sight gets you on target faster when the competition is fierce.



940 JM PRO	3" Cha	mber, Pre	emium Coat	ings and Fir	nishing, Durabl	e Fast-Cycling G	as System, Beve	led Loading Po	rt, Logo-Engraved F	Receiver		
ТҮРЕ	ITEM #	GAUGE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	RECEIVER FINISH	BARREL FINISH	STOCK & FINISH	APPROX. WEIGHT
10-Shot Competition	85111	12	9+1	24" VR	TriComp FO	Briley Ext. Set	44.75"*	13"-14.25"	Tungsten Gray (Anodized)	Matte Blue	Adj. LOP/Cast/Drop (Black)	7.75 lbs
5-Shot Competition	85143	12	4+1	24" VR	TriComp FO	Briley Ext. Set	44.75"*	13"-14.25"	Tungsten Gray (Anodized)	Matte Blue	Adj. LOP/Cast/Drop (Black)	7.75 lbs
10-Shot Competition	85113	12	9+1	24" VR	TriComp FO	Briley Ext. Set	44.75"*	13"-14.25"	Black (Anodized)	Matte Blue	Adj. LOP/Cast/Drop (MultiCar	n) 7.75 lbs

\*Overall Length: Measured when stock is set at its minimum length of pull. VR: Vent rib. LOP: Length of pull. Briley Ext. Set: Includes Improved Cylinder, Cylinder, and Modified extended choke tubes. Chokes are fully compatible with other Mossberg Accu-Choke barrels. MultiCam: MultiCam: MultiCam® is a registered trademark of Lineweight LLC. TriComp: HIVz TriComp fiber optic sight. HIVz® is a registered trademark of HIVz LLC. All models include a free gun lock.

# 940<sup>®</sup> PRO Autoloading Shotguns



FOR SPECIFICATIONS, SEE PAGE 53



**940** Pro Premium Coatings and Finishing Make the Difference. Inside every 940 Pro, you will find a host of corrosion-resistant internal parts— including a boron-nitride coated gas piston, magazine tube, and hammer and sear— for improved performance in the blind, in the pit, or while traversing upland fields. (see illustration, below).

For additional protection, 940 Pro Waterfowl models (see Pages 52-53) feature a coated return spring tube, chrome-lined chambers and bores, and a stainless steel return spring to help when facing wet, unforgiving conditions.



#### Optic-Ready, Hunt Ready 940 Turkey Shotguns

940 Pro Turkey shotguns come optic-ready, with receiver cuts that accept low-profile direct mounting of Shield RMScpattern micro dot sights for improved eye alignment and target acquisition. A cover plate is included for when optic is not in use. (Micro dot sight not included)



#### 940 Pro Series – Premium Features




Cleaner-Running Gas System. The redesigned 940 gas system allows faster, more reliable cycling at much greater cleaning intervals— up to 1500 rounds. It's durably built to hold up season-after-season, year-after-year.



**Bold & Functional Details.** An oversized and contoured charging handle and an ergonomic bolt release both provide quick manipulation in the field.




Built for the Rigors of Hunting. 940 models have an enlarged and beveled loading port designed for ease of loading, an anodized bright orange follower, and an elongated, pinch-free elevator.



Adjustable 940 Stocks. User-adjustable for LOP (1.25" range), and drop at comb and cast using incremental stock shims. Mossberg signature texturing adorns the grip and the slim, ergonomic forend. Waterfowl and Turkey stocks are self-draining to combat the elements.

# 940<sup>®</sup> PRO Autoloading Shotguns









Built for Hardcore Waterfowling. 940 Waterfowl and Snow Goose models feature Cerakote® polymer-ceramic coating on receivers and barrels for superior abrasion and wear resistance, and added anti-corrosion protection. Chromed-lined chambers and bores provide added durability in rough, mucky conditions. HIVIZ® CompSight® front fiber optic sights and X-Factor" ported chokes keep hunters on target.



Accu-Choke Flexibility. Our 940 Pro Field shotguns come standard with a front fiber optic sight and a set of three interchangeable Accu-Choke tubes.

#### 940 PRO FEATURES

- Premium coatings and finishing on internal parts for corrosion-resistance and superior performance
- New, cleaner-running gas-vent system, longer cleaning intervals
- Stocks are adjustable for LOP/Drop at Comb/Cast, and are Self-draining for wet weather (synthetic stocks only)
- Beveled loading port, elongated pinch-free elevator
- Oversized and contoured charging handle and ergonomic bolt release provide easy manipulation
- · Drilled and tapped receiver
- · Ambidextrous top-mounted safety

#### 940 PRO FIELD FEATURES

- 5-Shot, 12 Gauge
- · Choice of dark walnut or black synthetic stocks
- · Fiber optic sights

#### 940 PRO WATERFOWL FEATURES

- 5-Shot or 13-Shot, 12 Gauge
- Chrome-lined chambers and bores, and a stainless steel return spring for extra protection in harsh hunting conditions
- HIVIZ® CompSight® fiber optic sights
- X-Factor Extended Ported Turkey Choke Tubes

940 PR0   3'	Champer, F	Termum	Coalings	anu finishi	ng, Durable Fast-Cyc	ing das system,	Develeu Luauli	iy Fuit, Luyu	Eligiaveu neceivei		
TYPE	ITEM #	GAUGE	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	RECEIVER & BARREL FINISH	STOCK & FINISH A	PPROX. WEIGHT
940 PRO FIELD											
NEW 5-Shot	85154	12	4+1	28" VR	Front FO	Accu-Set	47.5"*	13"-14.25"	Matte Blue	Adj. LOP/Cast/Drop (Dark Walnut)	8 lbs
5-Shot	85155	12	4+1	28" VR	Front FO	Accu-Set	47.5"*	13"-14.25"	Matte Blue	Adj. LOP/Cast/Drop (Black Synthetic)	7.75 lbs
940 PRO TURKE	Y   Optic-Re	ady Recei	ver w/Cover	Plate							
5-Shot	85158	12	4+1	18.5" VR	HIVIZ CompSight FO	X-Factor Ext. Tube	39.25"*	13"-14.25"	MO Green Leaf	Adj. LOP/Cast/Drop (MO Greenleaf)	7.25 lbs
5-Shot	85156	12	4+1	24" VR	HIVIZ CompSight FO	X-Factor Ext. Tube	44.75"*	13"-14.25"	MO Green Leaf	Adj. LOP/Cast/Drop (MO Greenleaf)	7.5 lbs
940 PRO WATER	RFOWL										
5-Shot	85151	12	4+1	28" VR	HIVIZ CompSight FO	X-Factor Ext. Tube	48.75"*	13"-14.25"	Cerakote (Patriot Brown)	Adj. LOP/Cast/Drop (TrueTimber Prairie)	7.75 lbs
940 PRO WATER	RFOWL - SN	IOW GO	OSE								
13-Shot	85150	12	12+1	28" VR	HIVIZ CompSight FO	X-Factor Ext. Tube	50.75"*	13"-14.25"	Cerakote (Battleship Gray)	Adj. LOP/Cast/Drop (TrueTimber Viper Snov	w) 8.25 lbs
5-Shot	85160	12	4+1	28" VR	HIVIZ CompSight FO	X-Factor Ext. Tube	48.75"*	13"-14.25"	Cerakote (Battleship Gray)	Adj. LOP/Cast/Drop (TrueTimber Viper Snov	w) 7.75 lbs

\*Overall Length: Measured when stock is set at its minimum length of pull. VR: Vent rib. LOP: Length of pull. XF: Factor: Ported, extended choke tube (Accu-Choke compatible). Accu-Set: Includes Full, Modified, and Improved Cylinder choke tubes (Accu-Choke compatible). MO: Mossy Oak Brand Camo. Mossy Oak and Greenleaf are registered trademarks of Haas Outdoor, Inc. TrueTimber: TrueTimber: TrueTimber brand camo. TrueTimber<sup>®</sup> and Viper<sup>®</sup> are registered trademarks of TrueTimber Outdoor, Inc. Cerakote: Polymer ceramic coating. Cerakote<sup>®</sup> is a registered trademark of NIC Industries, Inc. HIVIZ CompSight: HIVIZ CompSight: HIVIZ<sup>®</sup> and CompSight<sup>®</sup> are registered trademarks of HiVIz LLC. All models include a free gun lock.

### **930<sup>®</sup> SLUGSTER<sup>®</sup>** Autoloading Shotgun

**930 - Slugster®** 12GA | 5-Shot | #85232



The Mossberg 930 is for any hunter looking for a go-to smooth-cycling autoloading slug gun. Rugged and dependable with a dual gas-vent system for recoil management, the 930 is built to last.

#### **930 SLUGSTER FEATURES**

- 5-Shot
- 12 Gauge
- Dual gas-vent system
- Cantilever/Integral Scope Base
- Quick-empty bolt release button for easy unloading
- · Drilled and tapped receiver
- · Ambidextrous top-mounted safety
- Adjustable Stock Drop System for a more custom fit



The Monte Carlo stock features a Stock Drop System that adjusts the vertical angle of the stock for improved sight lines and a custom-type fit.



A quick-empty bolt release button on the 930 receiver makes unloading a snap.




Mounting optics is hassle-free with the 930 Slugster's cantilevered Integral Scope Base. Barrel mounting the scope provides a quicker return to zero season after season, and use with the Monte Carlo stock's raised comb improves eye alignment.


930 SLUGSTER	3" Cham	ber, Cani	tilever/Integr	al Scope B	ase						
ТҮРЕ	ITEM #	GA.	CAPACITY	BARREL	SIGHTS	CHOKES	LENGTH	LOP	METAL FINISH	STOCK	APPROX. WEIGHT
Deer	85232	12	4+1	24"	ISB	Fully Rifled Bore	44.5"	14"	Matte Blue	Synthetic/Monte Carlo (Black)	7.5 lbs
LOP: Length of pull. ISB: Integ	ral scope base (ca	intilevered). A	All models include a	a free gun lock.							

# 935<sup>™</sup> PRO WATERFOWL Autoloading Shotgun

### MOSSBERG




935 Magnum Pro Waterfowl 12GA | #82042



When the going gets tough, the tough get their hands on our 935 Pro Waterfowl shotgun. Built to perform under the muddlest, mucklest, and wettest of conditions, this hard-hitting 3.5" autoloading shotgun features coatings and finishes that stand up to the elements.

#### 935 PRO WATERFOWL FEATURES

- · Chambers 2.75," 3," and 3.5" shotshells
- 5-Shot
- 12 Gauge
- · Stainless steel return spring
- · Beveled loading gate
- · Interchangeable choke tubes
- · Stock drop shims for a custom fit
- Standard features include dual gas-vent system, quick-empty bolt release button for easy unloading, and drilled and tapped receiver
- Overbored barrel




935 PRO WATERF	<b>OWL</b>   3.5	5" Cham	ber, Premiu	m Coatings and	d Finishing, En	graved Receiv	ver					
ТҮРЕ	ITEM #	GA.	CHAMBER	2.75" CAPACITY	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	FINISH	STOCK	APPROX. WEIGHT
Waterfowl	82042	12	3.5"	4+1	28" VR OB	Fiber Optic	Accu-Mag Set	49"	14"	MO Shadowgrass Blades	Synthetic	7.75 lbs

Premium Coatings and Finishing: Includes boron-nitride-coated gas piston, piston rings, magazine tube, hammer, sear, return spring plunger, and return spring tube; shell stop, bolt slide, and elevator receive additional finishing to reduce friction; stainless steel return spring, VR: Vent rib. OB: Overbored barrel. LOP: Length of pull. Accu-Mag: Set includes Full, Modified and Improved Cylinder choke tubes. Engraved: Receiver is engraved with logo. MO: Mossy Oak Brand Camo. Mossy Oak and Shadowgrass Blades are registered trademarks of Haas Outdoor, Inc. All models include a free gun lock.

### 935<sup>™</sup> MAGNUM Autoloading Shotguns








Sometimes you need the extra punch of a magnum — and that's where our powerful 935 autoloader comes into the picture. This 3.5" chambered beast offers smooth-as-silk shooting thanks to its dual gas-vent system. And for game requiring the most powerful magnum loads, the 935 delivers unequaled performance from the turkey or waterfowl blind.



Standard 935 synthetic stocks feature a Stock Drop System that adjusts the vertical angle of the stock for improved sightlines and a custom-type fit.



935 models are overbored to 10 Gauge dimensions, which reduces pellet deformation for exceptionally uniform dense patterns.



For maximum hunting flexibility, 935 Magnum autoloading shotguns handle heavy-hitting 2.75" loads as well as 3" and 3.5" shotshells.



For optimal target acquisition in wet weather or low-light hunting conditions, all 935 models come equipped with fiber optic sights.

935 MAGNUM	3.5" Cham	ber									
TYPE	ITEM #	GA.	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	FINISH	STOCK	APPROX. WEIGHT
935 MAGNUM – TU	IRKEY										
Turkey	81046	12	4+1	22" VR OB	Fiber Optic	X-Factor Ported Turkey Tube	43"	14"	MO Bottomland	Synthetic (Bottomland)	7.5 lbs
Turkey – Pistol Grip	82540	12	4+1	22" VR OB	Fiber Optic	X-Factor Ported Turkey Tube	42.75"	13.75"	MO Obsession	Full-Length Synthetic/Pistol Grip	7.5 lbs
935 MAGNUM – W	ATERFOWL										
Waterfowl	81000	12	4+1	28" VR OB	Fiber Optic	Accu-Mag Set	49"	14"	Matte Blue	Synthetic (Black)	7.75 lbs
Waterfowl	81023	12	4+1	28" VR OB	Fiber Optic	Accu-Mag Set	49"	14"	MO Shadowgrass Blades	Synthetic (Shadowgrass)	7.75 lbs

LOP: Length of pull. Accu-Mag Set: Includes Full, Modified and Improved Cylinder choke tubes. VR: Vent rib. OB: Overbored barrel. Pistol Grip: Full-length stock with pistol grip. MO: Mossy Oak Brand Camo. Mossy Oak, Bottomland, Obsession, and Shadowgrass Blades are registered trademarks of Haas Outdoor, Inc. All models include a free gun lock.

### SA SERIES Autoloading Shotguns











SA Turkey model's fiber-optic ghost ring sights provide excellent target acquisition in foul weather or low-light conditions.

SA Turkey shotguns all feature a raised front fiber optic sight component and an extended choke tube with tight turkey constriction.



SA Turkey and Railed shotguns come with a receiver mounted rail for quick and easy mounting of sights or optics. The Railed model comes with an adjustable rear ghost ring sight (see insets below)

Whether you're a first-time hunter or an accomplished target shooter, you can't go wrong with Mossberg International sub-gauge autoloaders. Lightweight, quick-swinging, and with light recoil, these versatile smaller-gauge shotguns provide maneuverability when hunting nimble upland and woodland game, hitting targets at the range, or busting clays.

#### SA SERIES TURKEY FEATURES

- 5-Shot 20 Gauge, 28 Gauge, and .410 Bore Models
- Smooth-cycling Gas-operated System
- Extended Turkey Choke Tube
- Top Picatinny Rail
- Fiber-Optic Ghost Ring sights
- Mossy Oak<sup>®</sup> Greenleaf<sup>®</sup> or Original Bottomland<sup>®</sup> camo

#### **SA-20 RAILED FEATURES**

- 5-Shot 20 Gauge
- Smooth-cycling Gas-operated System
- Magazine Tube Cap with Tri-rail
- Top Picatinny Rail with Adjustable Rear Ghost Ring/Winged Front Fiber Optic Sight
- Cylinder Bore



Features unique to the pistol-gripped SA-20 Railed include: a top-rail with mounted rear ghost ring sight with a winged front fiber optic, and a magazine tube cap with tri-rail.

### SA SERIES Autoloading Shotguns







Handsome details like grip and forend checkering Every SA All-Purpose Field shotgun make the SA Walnut models as good looking as they are functional and easy to operate.

comes with a five choke tube Sport Set in a durable blued finish.


SA Series All-Purpose Field semi-automatics - including our reduced-LOP Bantam models- are perfectly suited for wingshooting, competition, and recreational shooting.

#### SA SERIES ALL-PURPOSE FIELD FEATURES

- 5-Shot 20 Gauge, 28 Gauge, and .410 Bore Models
- Smooth-cycling Gas-operated System
- Interchangeable Sport Set (5) Choke Tubes
- Bead Sights
- Walnut or Black Synthetic Stocks/Forends
- Bantam Models: 12.5" Reduced LOP, 24" Compact Field Barrels, Comfortable handling and fit

TYPE	ITEM #	GA/BORE	CHAMBER	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK/FINISH	APPROX. WEIGH
SA-20 ALL PURPOSE FIELD												
All-Purpose – Walnut	75789	20	3"	4+1	26" VR	Front Bead	Sport Set	44.75"	14.5"	Blue (High Polish)	Walnut (High Gloss)	6.5 lb
All-Purpose	75771	20	3"	4+1	28" VR	Front Bead	Sport Set	46.5"	14.25"	Matte Blue	Synthetic (Black)	6 lt
All-Purpose	75772	20	3"	4+1	26" VR	Front Bead	Sport Set	44.5"	14.25"	Matte Blue	Synthetic (Black)	5.75 lt
All-Purpose – Bantam/Walnut	75793	20	3"	4+1	24" VR	Front Bead	Sport Set	40.75"	12.5"	Blue (High Polish)	Walnut (High Gloss)	6.25 lt
All-Purpose – Bantam	75770	20	3"	4+1	24" VR	Front Bead	Sport Set	40.75"	12.5"	Matte Blue	Synthetic (Black)	5.5 lt
SA-20 TURKEY   Top Rail, Exter	nded Turkey	/ Choke										
IEW) Turkey – Pistol Grip	75799	20	3"	4+1	22" VR	FO Ghost Ring	Ext. Turkey Choke	39"	12.75"	MO Greenleaf	Synthetic (MO Greenleaf)	6 II
IEW Turkey	75801	20	3"	4+1	22" VR	FO Ghost Ring	Ext. Turkey Choke	40.5"	14.25"	Matte Blue	Synthetic (MO Greenleaf)	5.5 ll
SA-20 RAILED   Magazine Tube	Cap with T	ri-Rail, Top	Rail									
All-Purpose – Pistol Grip	75780	20	3"	4+1	20"	Ghost Ring/FO Front	Cylinder Bore	37"	12.75"	Matte Blue	Synthetic/Pistol Grip (Black)	5.75 II
MOSSBERG INTERNATIO	NAL S <i>i</i>	<b>\-28</b>										
ТҮРЕ	ITEM #	GA/BORE	CHAMBER	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK/FINISH	APPROX. WEIGH
SA-28 ALL-PURPOSE FIELD												
All-Purpose – Walnut	75792	28	2.75"	4+1	26" VR	Front Bead	Sport Set	44.75"	14.5"	Blue (High Polish)	Walnut (High Gloss)	6.5 lt
EW All-Purpose	75803	28	2.75"	4+1	26" VR	Front Bead	Sport Set	44.75"	14.5"	Matte Blue	Synthetic (Black)	5.5 lt
All-Purpose – Bantam	75769	28	2.75"	4+1	24" VR	Front Bead	Sport Set	40.75"	12.5"	Matte Blue	Synthetic (Black)	5.5 lb
SA-28 TURKEY   Top Rail, Exten	ded Turkey	Choke										
EW Turkey – Pistol Grip	75802	28	2.75"	4+1	22" VR	FO Ghost Ring	Ext. Turkey Choke	39"	12.75"	MO Greenleaf	Synthetic (MO Greenleaf)	6 lb
		440										
MOSSBERG INTERNATIO												
ТҮРЕ	ITEM #	GA/BORE	CHAMBER	2.75" CAP.	BARREL	SIGHTS	CHOKES	OVERALL LENGTH	LOP	METAL FINISH	STOCK/FINISH	APPROX. WEIG
SA-410 ALL-PURPOSE FIELD	)											
All-Purpose	75796	.410	3"	4+1	26" VR	Front Bead	Sport Set	46"	13.75"	Matte Blue	Synthetic (Black)	6.5 lt
SA-410 TURKEY   Top Rail, Exte	ended Turke	ey Choke										
Turkey	75795	.410	3"	4+1	26" VR	FO Ghost Ring	Ext. Turkey Choke	46.5"	13.75"	MO Orig Bottomland	Synthetic (MO Original Botton	land) 651

# **RESERVE<sup>™</sup> SERIES** - **GOLD RESERVE<sup>™</sup>** Over-and-Under Shotguns









Beautifully styled and appointed with top-shelf materials and finishing, our new Gold Reserve shotguns will impress from upland fields to wetland marshes, or while dominating at 5-Stand. The lineup features details traditionally associated with high-end break-actions.

#### **GOLD RESERVE FEATURES**

- Grade-A Black Walnut Stocks
- · Shell Ejectors
- 12GA, 20GA, and .410 Models
- · Scroll-Engraved Polished Receivers with Gold Inlay
- 5-Choke Extended Sport Set
- · Corrosion-resistant Chrome-lined Bores and Chambers, Jeweled Actions
- Tang-mounted Safety/Barrel Selector
- Dual Locking Lugs



Gold Reserve shotguns feature convenient shell ejectors and a polished silver or blued finish. Decorative accents include jeweling on the action and rich scroll engraving on the receiver, safety/barrel selector, and on the action release. Gold Reserve stocks all feature Grade-A black walnut. Right: Every Gold Reserve sports a distinctive 24kt gold inlay on the underside of the receiver.




Gold Reserve models come with a 5-choke Sport Set of extended and checkered tubes and feature polished blued barrels. The Super Sport model (above) features a fiber optic sight and high-profile 12mm tall x 10mm wide rib.

MOSSBERG IN	TERNA	TIONA	L GOLD	RESERV	E   Shell	Ejectors, Scroll-Engra	aved Red	eivers,	/Gold Inlay, Jev	veled Action, Chrome-Lined B	ores and Chambers, Dual Lo	cking L	ugs	
ТҮРЕ	ITEM #	GAUGE/ BORE	CHAMBER	BARREL	SIGHTS	OVERALL CHOKES	LENGTH	LOP	BARREL FINISH	ACTION/RECEIVER FINISH & ENGRAVING	STOCK & FINISH	DAH	DAC	APPROX. WEIGHT
GOLD RESERVE	Scroll-Er	ngraved R	leceiver/Gold	d Inlay, 10mm	n Wide Vent Ri	D								
Sporting	75472	12	3"	30" VR	Bead	Ext. Sport Set (5 Total)	47"	14"	Polished Blue	Polished Silver w/Scroll & Inlay	Grade A - Satin/Black Walnut	2.25"	1.75"	7.5 lbs
Sporting	75480	.410	3"	26" VR	Bead	Ext. Sport Set (5 Total)	43"	14"	Polished Blue	Polished Silver w/Scroll & Inlay	Grade A - Satin/Black Walnut	2.25"	1.75"	5.75 lbs
GOLD RESERVE -	BLACK	LABEL	Scroll-E	Ingraved Rec	eiver/Gold Inla	y, 10mm Wide Vent Rib								
Sporting	75473	12	3"	30" VR	Bead	Ext. Sport Set (5 Total)	47"	14"	Polished Blue	Polished Black w/Scroll & Inlay	Grade A - Satin/Black Walnut	2.25"	1.75"	7.5 lbs
NEW Sporting	75481	20	3"	30" VR	Bead	Ext. Sport Set (5 Total)	47"	14"	Polished Blue	Polished Black w/Scroll & Inlay	Grade A - Satin/Black Walnut	2.25"	1.75"	6.25 lbs
GOLD RESERVE -	SUPER	SPORT	·   Scroll-E	Engraved Rec	eiver/Gold Inla	y, Extra-Wide 12mm/High-	Profile 10	nm Vent	Rib					
Sporting	75474	12	3"	30" HVR	Fiber Optic	Ext. Sport Set (5 Total)	46-48"	13-15"	Polished Blue	Polished Silver w/Scroll & Inlay	Adjustable (LOP, Cast, Comb) Grade A - Satin/Black Walnut	2.25"	1.75"	7.5 lbs

Shell Ejectors: Ejects fired shells from the chamber when action is opened. Ext. Sport Set: Extended and checkered tube set includes Skeet, Improved Cylinder, Modified, Improved Modified and Full chokes (Silver finish). Inlay: Receiver underside has 24kt gold decorative inlay. VR: 10mm wide vent rib. HVR: High-profile vent rib — 10mm High/12mm Wide. LOP: Length of pull. DAC: Stock drop at comb. DAH: Stock drop at heel. All models include a free gun lock.


# **RESERVE<sup>™</sup> SERIES - SILVER RESERVE<sup>™</sup>** Over-and-Under Shotguns







Whether out for a day of wingshooting or busting clays, you can't go wrong with one of these sure-to-be popular Silver Reserve over-and-unders. Durable, reliable, and affordable, these well-appointed break-action shotguns are loaded with details traditionally reserved for high-priced double guns.



#### SILVER RESERVE FEATURES

- Black Walnut or Synthetic Stocks
- Shell Extractors
- 12GA, 20GA, 28GA, and .410 Models
- · Logo-Engraved Receivers
- 5-Choke Field Set
- · Corrosion-resistant chrome-lined barrels and chambers
- Tang-mounted Safety/Barrel Selector
- Dual locking lugs



Silver Reserve shotguns feature shell extractors, a tang-mounted safety with barrel selector and a Mossberg logo-engraved receiver available in both Satin Silver (paired with Walnut stock) or Matte Blue finish (paired with Black Synthetic stock). 20GA is also offered, with a reduced-



Select black walnut stocks feature handsome cut checkering on the grip LOP (13.25") stock.

TVDE		GAUGE/	00000000	DADDEL	0101170	0110//50	OVERALL	1.00	BARREL	ACTION/RECEIVER				APPROX.
TYPE	ITEM #	BORE	CHAMBER	BARREL	SIGHTS	CHOKES	LENGTH	LOP	FINISH	FINISH & ENGRAVING	STOCK & FINISH	DAH	DAC	WEIGHT
SILVER RESER	RVE - EVEN	ITIDE	Synthetic Sto	ick, Logo-Eng	raved Receiver									
Field	75470	12	3"	28" VR	Fiber Optic	Field Set (5 Total)	45"	14"	Matte Blue	Matte Blue w/Logo	Black Synthetic	2.25"	1.75"	7 lbs
SILVER RESER	RVE   Black	< Walnut St	ock, Logo-Eng	graved Receiv	er									
Field	75471	12	3"	28" VR	Bead	Field Set (5 Total)	45"	14"	Matte Blue	Satin Silver w/Logo	Satin/Black Walnut	2.25"	1.75"	7 lbs
Field	75475	20	3"	26" VR	Bead	Field Set (5 Total)	43"	14"	Matte Blue	Satin Silver w/Logo	Satin/Black Walnut	2.25"	1.75"	6.25 lbs
Field	75478	28	2.75"	26" VR	Bead	Field Set (5 Total)	43"	14"	Matte Blue	Satin Silver w/Logo	Satin/Black Walnut	2.25"	1.75"	6.5 lbs
Field	75479	.410	3"	26" VR	Bead	Field Set (5 Total)	43"	14"	Matte Blue	Satin Silver w/Logo	Satin/Black Walnut	2.25"	1.75"	5.75 lbs
SILVER RESE	RVE - BAN	TAM	Black Walnut	Stock, 13.25'	Length of Pull,	Logo-Engraved Receive	er							
Bantam/Field	75477	20	3"	26" VR	Bead	Field Set (5 Total)	42.25"	13.25"	Matte Blue	Satin Silver w/Logo	Satin/Black Walnut	2.25"	1.75"	6 lbs

heel. All models include a free gun lock.






# RIFLES

HUNTING/TACTICAL

### MOSSBERG



# PATRIOT<sup>™</sup> LR TACTICAL Bolt-Action Rifles









The new-design MDT<sup>®</sup> Patriot LR Tactical stock is user-adjustable for length of pull by use of three spacers (.75" range), and Comb/Cheekrest height is adjustable up to 2 inches. Comb adjustments are quick and easy: the user simply loosens the tension knob rearward, adjusts the height to the desired position, and re-tightens the knob to lock it in place.



### Extend your down-range reach with the all-new Patriot LR Tactical.

Mossberg's newest Patriot rifles were designed to achieve high levels of accuracy at extended distances in an adjustment-ready, customizable package.

#### PATRIOT LR TACTICAL FEATURES

- Available in three popular long-range calibers
- New design MDT<sup>®</sup> stock is adjustable for LOP (.75") and Cheekrest height (2"), features a contrasting checkered grip and M-LOK attachment slots
- Aluminum V-Block bedding for barrel stability
- Medium Bull/Threaded 22" or 24" barrels
- Top-mounted 20 MOA Picatinny rail
- MDT<sup>®</sup> AICS-style magazine
- Standard Patriot features include drop box magazine, spiral fluted bolt, patented LBA user-adjustable trigger (2-7 lbs), and an oversized bolt handle



Patented LBA Adjustable Trigger is user-adjustable from 2 to 7 pounds. The trigger guard is oversized for use with gloved hands, and equipped with an integrated magazine release lever.



Standard features include a top-mounted 20 MOA Picatinny rail, and a stylish fluted bolt with oversized easy-grip bolt handle.



The new-design stock features aluminum V-Block bedding for barrel stability, and the forend features M-LOK® mounting, ports on the sides and bottom for quick and easy accessory customization.




Barrels are threaded, muzzlebrake or suppressor-ready, and provided with a protective cap. All calibers utilize 5/8"-24 TPI threading.

PATRIOT LR TAC	TICAL	New Design N	/IDT® Sto	ck with Adjustable I	_OP and Cheekr	est/Con	nb, M-LOK® Ac	cessory Compa	tability, MDT® A	AICS-Style Magazine	
ТҮРЕ	ITEM #	CALIBER	CAPACITY	BARREL	SCOPE BASE/RAIL	TWIST	OVERALL LENGTH	LOP	BARREL FINISH	STOCK	APPROX. WEIGHT
NEW) Centerfire Rifle	28147	6.5 Creedmoor	10+1	22" Med. Bull/Thrd	Pic. Rail	1:8"	42"*	13.50"-14.25"	Matte Blue	Adj. (LOP/Comb) Stock- Synthetic (Flat Dark Earth	h) 8.8 lbs
NEW Centerfire Rifle	28148	6.5 PRC	7+1	24" Med. Bull/Thrd	Pic. Rail	1:8"	44"*	13.50"-14.25"	Matte Blue	Adj. (LOP/Comb) Stock- Synthetic (Flat Dark Earth	h) 9.4 lbs
NEW Centerfire Rifle	28149	308 WIN	10+1	22" Med. Bull/Thrd	Pic. Rail	1:10"	42"*	13.50"-14.25"	Matte Blue	Adj. (LOP/Comb) Stock- Synthetic (Flat Dark Earth	h) 8.8 lbs

\*Overall Length: Measured when the stock is set at its minimum length of pull. Pic. Rail: Top Picatinny rail. Thrd: Threaded barrel with cap. Threading is 5/8" - 24 TPI. LBA: Patriot Lightning Bolt-Action Trigger is user-adjustable from 2 to 7 lbs. LOP: Length of pull. M-LOK: Mounting slots on forend's sides and bottom are compatible with M-LOK equipped accessories. Mappul and M-LOK are registered trademarks of Magpul Industries Corp. MDT is a registered trademark of Modular Driven Technologies. All models include a free gun lock.

### PATRIOT<sup>™</sup> Bolt-Action Rifles



Behind every revolution is a Patriot. And these value-rich bolt-action rifles are no exception. With models to suit any style, the Patriot combines modern innovation with traditional styling. Attractive, accurate, and packed with features, the Mossberg Patriot is built on value and success in the field.



user-adjustable from 2 to 7 pounds. The bolt design is streamlined and checkered for easy, efficient operation.

PATRIOT

Patented LBA Lightning Bolt-Action Trigger is 450 Bushmaster and Magnum caliber Patriot barrels are

threaded, have an 11-degree match crown, and come with a protective cap. All standard caliber Patriot barrels have a recessed match crown.

#### **PATRIOT FEATURES**

- Short- and Long-Action calibers
- Drop box magazine
- Fluted, Threaded barrels in 20," 22," and 24"
- Spiral fluted bolt
- Recessed match barrel crown
- Patented LBA user-adjustable trigger (2 to 7 lbs)
- Barrel Threading: 450 Bushmaster and 338 WM = 11/16" 24 TPI, 7mm REM MAG and 300 WM = 5/8" - 24 TPI

		SHORT	-ACTION	ITEN Caliber:		ER (ARRA	NGED BY	( CALIBE		CTION CAI	LIBERS											
6.5 CM	22-250 REM	243 WIN	7MM-08 REM	308 WIN	350 LEGEND	450 BSHMSTR	25-06 REM	270 WIN	30-06 SPRG	7MM Rem Mag	300 WIN MAG	338 WIN MAG	375 RUGER	CAP.	BARREL	SCOPE BASES Or sights	OVERALL LENGTH*	LOP	TWIST**	BARREL FINISH	STOCK/FINISH	APPROX. WEIGHT
PATR	IOT																					
28026	27841	27835	27849	27861			27876	27882	27890					5+1	22" Fluted	Weaver-Style Bases	42.75"*	13.75"	**See Below	Matte Blue	Walnut Classic Style	7 lbs
					28137									4+1	22" Fluted	Weaver-Style Bases	42.25"	13.75"	1:16"	Matte Blue	Walnut Classic Style	7 lbs
										28130	28132			3+1	24" Fluted & Threaded	Weaver-Style Bases	44.75"	13.75"	**See Below	Matte Blue	Walnut Classic Style	7 lbs
						28043								4+1	20" Threaded	Weaver-Style Bases	40.25"	13.75"	1:24"	Matte Blue	Walnut Classic Style	7 lbs
											28121			3+1	24" Threaded	Adjustable FO Sights	44.75"	13.75"	1:10"	Matte Blue	Walnut Classic Style	7 lbs
					28085									4+1	22" Fluted	Weaver-Style Bases	42.25"	13.75"	1:16"	Matte Blue	Synthetic (Black) Classic Style	6.5 lbs
27909	27843	27838	27851	27864			27877	27884	27892					5+1	22" Fluted	Weaver-Style Bases	42.75"*	13.75"	**See Below	Matte Blue	Synthetic (Black) Classic Style	6.5 lbs
										28131	28118			3+1	24" Fluted & Threaded	Weaver-Style Bases	44.75"	13.75"	**See Below	Matte Blue	Synthetic (Black) Classic Style	6.5 lbs
						28013								4+1	20" Threaded	Weaver-Style Bases	40.25"	13.75"	1:24"	Matte Blue	Synthetic (Black) Classic Style	6.5 lbs
PATR	IOT WI	TH CER	AKOTI	E   Cer	akote (St	tainless) F	inished B	arrel and	Bolt													
28008	28068	28005	28006	28007			28069	28009	28010					5+1	22" Fluted	Weaver-Style Bases	42.75"*	13.75"	**See Below	Cerakote (Stainless)	Synthetic (Black) Classic Style	6.5 lbs
												28136		3+1	24" Threaded	Adjustable FO Sights	44.75"	13.75"	1:10"	Cerakote (Stainless)	Synthetic (Black) Classic Style	6.5 lbs
										28129	28135			3+1	24" Fluted & Threaded	Weaver-Style Bases	44.75"	13.75"	**See Below	Cerakote (Stainless)	Synthetic (Black) Classic Style	6.5 lbs
													28073	3+1	22"	Adjustable FO Sights	42.75"	13.75"	1:12"	Cerakote (Stainless)	Synthetic (Black) Classic Style	6.5 lbs

\*Overall Length: All short-action calibers reduce the overall length by. 5". Threaded: Threaded barrels, with cap provided. 450 Bushmaster and 338 WM threading is 11/16"-24 TPI; 7mm REM MAG and 330 WM threading is 5/8"-24 TPI. \*\*Twist: 6.5 Creedmoor models have a twist of 1:8", 7mm REM MaG and 7mm-08 REM models: 1-9.5", 22-250 REM models: 1:14", 375 RGR models: 1:12". All other calibers listed have a 1:10" twist. LBA: Patriot Lightning Bolt-Action Trigger is user-adjustable from 2 to 7 lbs. Cross-Bolt: 375 Ruger walnut stocks have double cross-boilt supports Adjustable FO Sights: Front fiber-optic sight, rear sight is adjustable for windage and elevation. LOP: Length of pull. Cerakote (Stainless): Stainless): Stainless steel-colored polymer-ceramic coating. Cerakote is a registered trademark of NC Industries, Inc. All models include a free gun lock.

# **PATRIOT**<sup>™</sup>**VORTEX**<sup>®</sup> Bolt-Action Rifles





#### PATRIOT VORTEX FEATURES

- Drop box magazine
- Fluted barrel
- Spiral fluted bolt and streamlined bolt handle
- Recessed match barrel crown
- Patented LBA user-adjustable trigger (2-7 lbs)
- Vortex Crossfire II scope, lens caps, and Vortex rings complete the package
- Magnum caliber barrels are threaded (5/8"-24 TPI)



#### Crossfire® II 3-9x40 rifle scope with Dead-Hold® BDC reticle

With long eye relief, a fast-focus eyepiece, fully multicoated lenses, and resettable MOA turrets, there's no compromising on the Crossfire II. Clear, tough, and bright, the hard anodized single-piece aircraft-grade aluminum tube is nitrogen purged and O-ring sealed for water- and fog-proof performance. The Dead-Hold BDC reticle's customized hashmark design helps eliminate guesswork on holdover and windage corrections. It's good at varying ranges where estimating holdover is a concern.

#### PATRIOT VORTEX SCOPED COMBOS | Vortex Crossfi e II 3 9 40mm and Rings ITEM NUMBER (ARRANGED BY CALIBER)

	SHORT-/	ACTION CA	LIBERS			LONG	-ACTION C	ALIBERS											
6.5 CREEDMOOR	22-250 REM	243 WIN	7MM-08 REM	308 WIN	25-06 REM	270 WIN	30-06 SPRG	7MM Rem Mag	300 WIN MAG	CAPACITY	BARREL	BASES	TWIST*	SCOPE/FEATURES	OVERALL LENGTH**	LOP	BARREL FINISH	STOCK	APPROX. WEIGHT
28028	28057	27939	28058	27940	28059	27941	27942			5+1	22" Fluted	Weaver-Style	*See Below	Vortex Crossfire II 3-9x40mm w/Vortex Rings	42.75"**	13.75"	Matte Blue	Walnut Classic Style	8 lbs
								28127	28124	3+1	24" Fluted/ Threade	Weaver-Style	*See Below	Vortex Crossfire II 3-9x40mm w/Vortex Rings	44.75"**	13.75"	Matte Blue	Walnut Classic Style	8 lbs
28001	28052	27932	28053	27933	28054	27934	27935			5+1	22" Fluted	Weaver-Style	*See Below	Vortex Crossfire II 3-9x40mm w/Vortex Rings	42.75"**	13.75"	Matte Blue	Synthetic Classic Style (Black)	7.5 lbs
								28125	28123	3+1	24" Fluted/ Threade	Weaver-Style	*See Below	Vortex Crossfire II 3-9x40mm w/Vortex Rings	44.75"**	13.75"	Matte Blue	Synthetic Classic Style (Black)	7.5 lbs

All Patriot Vortex Scoped Combos ship fully assembled. Threaded: Threaded barrels are 5/8'- 24TPI, with cap provided. **\*Twist:** 6.5 Creedmoor models have a twist of 1:8'', 7mm REM MAG and 7mm-08 REM models: 1:9.5'', 22-250 REM models: 1:14''. All other calibers listed have a 1:10'' twist. **\*Overall Length:** All short-action calibers reduce the overall length by .5'', LBA: Patriot Lightning Bolt-Action Trigger is user-adjustable from 2 to 7 lbs. LOP: Length of pull. Crossfire II: Vortex Crossfire II scope features Dead-Hold BDC reticle, lens caps, and Vortex rings. Vortex, Crossfire, and Dead-Hold are registered trademarks of Vortex Optics. All models include a free gun lock.

## **PATRIOT**<sup>™</sup>**LR HUNTER** Bolt-Action Rifles

### MOSSBERG



When you're hunting or target shooting far downrange, every detail and every fraction of an inch counts. We designed our new Patriot LR Hunter stock with precise contours for comfort and accuracy. The Monte Carlo elevated comb works in combination with the optics top rail to make sighting easy, keeping you reliably on target. And, the new stock utilizes a special coating process for a full-rifle micro-textured surface that provides a comfortable, firm hold in the field or at the range.

#### PATRIOT LR HUNTER FEATURES

- Mossberg LR Hunter Monte Carlo stock has machined aluminum bedding pillars for stability, is polymer-coated in Spider Gray finish with light micro-texture for enhanced gripability
- Benchrest-style forend is flat for use on stabilizing surfaces, has dual swivel studs for bipod and sling use, and a tapered shape that narrows toward the barrel for comfortable fit and grip with smaller or gloved hands
- Fluted and threaded barrels are muzzlebrake or suppressor-ready, with protective thread cap and 11 degree match crown
- Standard Patriot features include drop box magazine, spiral fluted bolt, patented LBA user-adjustable trigger (2-7 lbs), and an oversized bolt handle



LR Hunter stock has aluminum

pillar bedding for stability and accuracy. The symmetrical profile with deep contoured grip wells provides a comfortable hold for left- or right-handed shooters.



The flat-bottom benchrest forend provides a stable resting surface for steady shots over long range distances and tapers inward toward the barrel for easy handling. Dual swivel studs simultaneously accommodate a bipod and sling.




Patented LBA Adjustable Trigger is user-adjustable from 2 to 7 pounds. An oversized bolt handle provides a sure grip, even with gloved hands.


PATRIOT LR	HUNTER	Polymer-Coat	ed Monte C	arlo Hunting Stock,	Top-Mounted	l Rail, Ll	BA User-Adjusta	able Trigg	er, Fluted/Thre	aded Barrel and Fluted Bolt	
ТҮРЕ	ITEM #	CALIBER	CAPACITY	BARREL	SCOPE BASE	TWIST	OVERALL LENGTH	LOP	METAL FINISH	STOCK/FINISH APP	PROX. WEIGHT
Centerfire Rifle	28101	308 WIN	5+1	22" Fluted/Thrd	Pic. Rail	1:10"	42.25"	13.75"	Matte Blue	Polymer-Coated Monte Carlo Hunting Stock (Spider Gray)	6.5 lbs
Centerfire Rifle	28103	6.5 Creedmoor	5+1	22" Fluted/Thrd	Pic. Rail	1:8"	42.25"	13.75"	Matte Blue	Polymer-Coated Monte Carlo Hunting Stock (Spider Gray)	6.5 lbs
Centerfire Rifle	28104	6.5 PRC	4+1	24" Fluted/Thrd	Pic. Rail	1:8"	44.25"	13.75"	Matte Blue	Polymer-Coated Monte Carlo Hunting Stock (Spider Gray)	7.25 lbs
Centerfire Rifle	28102	300 WIN MAG	3+1	24" Fluted/Thrd	Pic. Rail	1:10"	44.75"	13.75"	Matte Blue	Polymer-Coated Monte Carlo Hunting Stock (Spider Gray)	7.5 lbs

LBA: Patriot Lightning Bolt-Action Trigger is user-adjustable from 2 to 7 lbs. LOP: Length of pull. Thrd: Threaded barrel, thread cap is included. Pic. Rail: Top Picationny rail. All models include a free gun lock.

## **PATRIOT**<sup>™</sup>**PREDATOR** Bolt-Action Rifles







#### This Predator was born to hunt. Suppressor-ready. Optic-ready. Built on the powerful and field proven Patriot chassis, Predator rifles offer unmatched

accuracy, dependability, and smooth triggers in a diverse lineup of calibers and multiseason configurations.

#### PATRIOT PREDATOR FEATURES



- Seven calibers offered, including new 7mm PRC
- Top-mounted optics Picatinny rail
- All barrels are threaded, muzzlebrake or suppressor-ready, with 11 degree match crown
- Fluted barrels on 22" or 24" models
- Standard Patriot features include drop box magazine, spiral fluted bolt, patented LBA user-adjustable trigger (2-7 lbs), and an oversized bolt handle



Patented LBA Adjustable Trigger is user-adjustable from 2 to 7 pounds. The Patriot Predator oversized bolt handle provides a sure grip, even with gloved hands.



The standard top Picatinny rail makes mounting or repositioning optics quick and easy.



Camo models have Cerakote® premium polymer-ceramic coating on the fluted bolt, bolt handle, barrel and thread cap, providing superior abrasion and wear resistance, and added anti-corrosion protection.

#### PATRIOT PREDATOR | Top-Mounted Picatinny Rail, LBA User-Adjustable Trigger, Threaded Barrel and Fluted Bolt

	ITEM	NUMB	ER (ARI	RANGED	BY CAL	IBER)									
22-250 REM	243 WIN	308 WIN	6.5 CM	6.5 PRC	450 BM	NEW CALIBER 7mm PRC	CAPACITY	BARREL	BASES/ SIGHTS	TWIST*	OVERALL LENGTH	LOP	BARREL FINISH	STOCK	APPROX. WEIGHT
						28171	3+1	24" Fluted/Thrd	Pic. Rail	1:8"	44.75"	13.75"	Cerakote (Patriot Brown)	Synthetic (True Timber Strata) – Classic Style	6.5 lbs
				28091			4+1	24" Fluted/Thrd	Pic. Rail	1:8"	44.25"	13.75"	Cerakote (Patriot Brown)	Synthetic (True Timber Strata) – Classic Style	6.5 lbs
28074	28044	28045	28046				5+1	22" Fluted/Thrd	Pic. Rail	*See Below	42.25"	13.75"	Cerakote (Patriot Brown)	Synthetic (True Timber Strata) – Classic Style	6.5 lbs
						28170	3+1	24" Fluted/Thrd	Pic. Rail	1:8"	44.75"	13.75"	Matte Blue	Synthetic (Flat Dark Earth) – Classic Style	6.5 lbs
				28090			4+1	24" Fluted/Thrd	Pic. Rail	1:8"	44.25"	13.75"	Matte Blue	Synthetic (Flat Dark Earth) - Classic Style	6.5 lbs
	27873	27874	27875				5+1	22" Fluted/Thrd	Pic. Rail	*See Below	42.25"	13.75"	Matte Blue	Synthetic (Flat Dark Earth) - Classic Style	6.5 lbs
					28051		4+1	16.25" Thrd	Pic. Rail/ Adj. FO Sigl	1:24" hts	35.5"	13.75"	Matte Blue	Synthetic (Flat Dark Earth) - Classic Style	6.5 lbs

\*Twist: 6.5 Creedmoor models have a twist of 1:8," 22-250 have a 1:14," all other calibers listed have a 1:10" twist. LBA: Patriot Lightning Bolt-Action Trigger is user-adjustable from 2 to 7 lbs. Thrd: Threaded barrels are 5/8"- 24TPI, (450 Bushmaster models are 11/16"- 24TPI, 22-250 REM are 1/2"- 28TPI ), with cap provided. LOP: Length of pull. Cerakote: Patriot Brown polymer-ceramic coating. Cerakote® is a registered trademark of NC Industries, Inc. TrueTimber® and Strata" are trademarks of TrueTimber Outdoors, Inc. All models include a free gun lock.

## PATRIOT <sup>™</sup> SUPER BANTAM<sup>™</sup> Bolt-Action Rifles



At Mossberg, we're dedicated to ensuring that hunters and recreational shooters are safely outfitted with a firearm that fits properly and comfortably. The Patriot Super Bantam stock design allows for 1" of length-of-pull adjustment flexibility for a more custom fit, plus Super Bantam models boast all of the features you'll find on full-sized Patriot rifles.



#### PATRIOT SUPER BANTAM FEATURES

- Variable length of pull (12"-13") enhances control and comfort for smaller-stature shooters
- Five calibers offered
- Fluted barrels 20" or 22" barrels
- Standard Patriot features include drop box magazine, recessed match barrel crown, spiral fluted bolt with streamlined bolt handle, and patented LBA user-adjustable trigger (2-7 lbs)

### PATRIOT SUPER BANTAM SCOPED COMBOS | 3-9x40mm Variable Scope, Fluted Barrels, Variable 12"-13" LOP

			DI GALIDEI	1)										
6.5 CM	243 WIN	7MM-08 REM	308 WIN	350 LEGEND	CAPACITY	BARREL	SCOPE BASES/SCOPE	TWIST*	OVERALL LENGTH	LOP	BARREL FINISH	STOCK/FINISH	APPR	OX. WEIGHT
28143	28142	28144	28145		5+1	20" Fluted	Weaver-Style/3-9x40mm	*See Below	38.5"**	12-13"	Matte Blue	Variable LOP -	- Synthetic (Muddy Girl Wild)	7.5 lbs
28050	28065	28066	28067		5+1	20" Fluted	Weaver-Style/3-9x40mm	*See Below	38.5"**	12-13"	Matte Blue	Variable LOP -	- Synthetic (True Timber Strata)	7.5 lbs
28027	27840	27853	27867		5+1	20" Fluted	Weaver-Style/3-9x40mm	*See Below	38.5"**	12-13"	Matte Blue	Variable LOP -	- Synthetic (Black)	7.5 lbs
				28094	4+1	22" Fluted	Weaver-Style/3-9x40mm	1:16	40.5"**	12-13"	Matte Blue	Variable LOP -	- Synthetic (Black)	7.5 lbs

\*Twist: 6.5 Creedmoor models have a 1.8" twist, 7mm-08 REM models have a twist of 1.9.5". All other calibers listed have 1:10" twist. \*\*Overall Length: Measured when the stock is at its minimum length of pull. LBA: Patriot Lightning Bolt-Action Trigger is user-adjustable from 2 to 7 lbs. LOP: Length of pull. Variable LOP: Length of pull. saltered by use of included stock spacer. Muddy Girl® is a registered trademark owned by Muddy Girl Holdings, LLC. TrueTimber® and Strata<sup>™</sup> are trademarks of TrueTimber Outdoors, Inc. All models include a free gun lock.

## PATRIOT MIGHT TRAIN Bolt-Action Rifles

### MOSSBERG



If you're looking for an entry-level long-range rifle package with premium quality and performance, you're looking in the right place. The Patriot Night Train bolt-action rifle offers the accuracy, dependability, and crisp trigger you'll find in higher-end models. So stop searching and start shooting.

#### PATRIOT NIGHT TRAIN FEATURES

- Top-mounted Picatinny rail
- Drop box magazine
- Fluted/Threaded barrels in 22" or 24" lengths, select models have removable SilencerCo muzzlebrake
- Night Train models have barrel threading, are suppressor-ready
- Patented LBA user-adjustable trigger (2-7 lbs)
- Packaged with an adjustable bipod, variable scope with flip-open lens caps, and neoprene comb raising kit



Patented LBA Lightning Bolt-Action Trigger is user-adjustable from 2 to 7 pounds. Oversized bolt handle provides a sure grip, even with gloved hands.



Select suppressor-ready Night Train rifles include fluted, threaded barrels with removable SilencerCo 3-port muzzlebrake with ASR mount.

PATRIOT N	light ti	RAIN   Picati	inny Rail,	Fluted Barrels, 6-24x50	Omm Scope, Bi	pod, Co	mb Raising Kit					
TYPE	ITEM #	CALIBER	CAPACITY	BARREL	SCOPE BASE/RAIL	TWIST	SCOPE/FEATURES	OVERALL LENGTH	LOP	BARREL FINISH	STOCK APPROX.	WEIGHT
Night Train	27924	308 WIN	5+1	22" Fluted/Thrd+Mzl Brk	Pic. Rail	1:10"	6-24x50mm Scope/Caps, Bipod, Comb Raising Kit	44"	13.75"	Matte Blue	Synth. (OD Green)	9 lbs
Night Train	28122	300 WIN MAG	3+1	24" Fluted/Thrd+Mzl Brk	Pic. Rail	1:10"	6-24x50mm Scope/Caps, Bipod, Comb Raising Kit	44.5"	13.75"	Matte Blue	Synth. (OD Green)	9 lbs
Night Train	28019	6.5 Creedmoor	5+1	24" Fluted/Thrd	Pic. Rail	1:8"	6-24x50mm Scope/Caps, Bipod, Comb Raising Kit	42.25"	13.75"	Matte Blue	Synth. (Flat Dark Earth)	9 lbs

All Night Train models ship fully assembled. LBA: Patriot Lightning Bolt-Action Trigger is user-adjustable from 2 to 7 lbs. LOP: Length of pull. Thrd+Mzl Brk: Threaded barrel with removable SilencerCo muzzlebrake with ASR mount, thread cap is included. Thrd: Threaded barrel with thread cap included. Synth.: Synthetic stock. Pic. Rail: Top Picatinny rail. All models include a free gun lock.

## MVP<sup>®</sup> SCOUT/MVP<sup>®</sup> PATROL Bolt-Action Rifles

### MOSSBERG



These dependable, all-purpose rifles are perfect for the range or the ranch, as well as for tactical situations. They offer the convenience of AR-magazine compatibility with bolt-action accuracy and reliability.



#### **MVP SCOUT & MVP PATROL FEATURES**

- Threaded barrel/removable A2-style muzzlebrake and protective thread cap
- AR-magazine compatibility
- Patented LBA user-adjustable trigger (3-7 lbs)
- Pillar-bedded stocks with Picatinny rails. MVP Scout top-rail is 11" extended, and stock comes with two side-mounted rails
- Magpul® PMAG® (10-round 5.56mm/223 and 7.62mm/308 only)
- Oversized bolt handle
- MVP Scout features a front fiber-optic sight paired with a rail-mounted rear ghost ring. Also available as a Vortex Scoped Combo, with 2-7x32mm Crossfire II optic, with extended eye relief and Vortex rings
- MVP Patrol features fiber-optic rifle sights

MVP SCOUT													
ТҮРЕ	ITEM #	CALIBER	CAPACITY	BARREL	SCOPE BASE	TWIST	OVERALL LENGTH	LOP	SCOPE	SIGHTS	METAL FINISH	STOCK/FINISH	APPROX. WEIGHT
MVP SCOUT R	IFLE												
Centerfire Rifle	27778	7.62mm NATO/308 WIN*	10+1	16.25" Med Bull/Thrd+A2	Ext. Top/2 Side	1:10"	37.5"	13.75"		GR Rear/FO Front	Matte Blue	Synthetic (Black	() 7 lbs
MVP SCOUT -	VORTEX	SCOPED COMBO	2-7x32m	m Crossfire II Scout Scope with \	/-Plex Reticle and Ex	tended Ey	ye Relief						
Vortex Combo	27793	7.62mm NATO/308 WIN*	10+1	16.25" Med Bull/Thrd+A2	Ext. Top/2 Side	1:10"	37.5"	13.75"	2-7x32mm	GR Rear/FO Front	Matte Blue	Synthetic (Black	<li>k) 8.25 lbs</li>

\*Caliber: 7.62mm rifles can accept both M1A/M14 and LR-308/SR-25 style magazines. LBA: MVP Lightning Bolt-Action Trigger is user-adjustable from 3 to 7 lbs. GR Rear/FO Front: Rail-mounted rear ghost ring and elevated front fiber-optic sights. LOP: Length of pull. Thrd+A2: Threaded barrel with A2-style flash suppressor. Thread cap is included. Ext. Top/2 Side: 11" receiver/barrel-mounted Picatinny rail, and side-mounted short rails. PMAG: Magpul PMAG magazines. Magpul and PMAG are registered trademarks of Magpul Industries Corp. Scope: 2-7x32mm Vortex Crossfire II Scout Scope with extended eye relief. Vortex rings and lens caps included. Vortex and Crossfire are registered trademarks of Vortex Optics. All models include a free gun lock.

MVP PATROL												
TYPE	ITEM #	CALIBER	CAPACITY	BARREL	SCOPE BASE/RAIL	TWIST	OVERALL LENGTH	LOP	SIGHTS	BARREL FINISH	STOCK	APPROX. WEIGHT
Centerfire Rifle	27716	5.56mm NATO/223 REM	10+1	16.25" Med Bull/Thrd+A2	Pic. Rail	1:9"	36.5"	13.25"	F0 Rifle	Matte Blue	Synthetic (Black)	6.75 lbs
Centerfire Rifle	27707	300 AAC BLACKOUT	10+1	16.25" Med Bull/Thrd+A2	Pic. Rail	1:7"	36.5"	13.75"	F0 Rifle	Matte Blue	Synthetic (Black)	6.75 lbs
Centerfire Rifle	27738	7.62mm NATO/308 WIN*	10+1	16.25" Med Bull/Thrd+A2	Pic. Rail	1:10"	37.5"	13.75"	F0 Rifle	Matte Blue	Synthetic (Black)	7 lbs
Centerfire Rifle 💽	27766	5.56mm NATO/223 REM	5+1	16.25" Med Bull/Thrd+A2	Pic. Rail	1:9"	36.5"	13.25"	F0 Rifle	Matte Blue	Synthetic (Black)	6.75 lbs
Centerfire Rifle 🕒	27767	7.62mm NATO/308 WIN*	5+1	16.25" Med Bull/Thrd+A2	Pic. Rail	1:10"	37.5"	13.75"	F0 Rifle	Matte Blue	Synthetic (Black)	7 lbs

\*Caliber: 7.62mm rifles can accept both M1A/M14 and LR-308/SR-25 style magazines. LBA: MVP Lightning Bolt-Action Trigger is user-adjustable from 3 to 7 lbs. FO Rifle: Front fiber-optic and rear adjustable rifle sights. Thrd+A2: Threaded barrel with A2-style flash suppressor. Thread cap is included. Pic. Rail: Receiver-mounted Picatinny rail. PMAG: 10-round models only feature Magpul PMAG magazines. Magpul and PMAG are registered trademarks of Magpul Industries Corp. All models include a free gun lock. 🖸 - Canada only.

## 802 PLINKSTER<sup>™</sup>/817<sup>™</sup> Bolt-Action Rifles





## 715T<sup>™</sup> Semi-Automatic Rimfire Rifles





#### **715T FEATURES**

- Adjustable LOP stocks (3.25" range) ensure a proper, more comfortable fit
- Vented quad-rail forend
- Green Dot/Red Dot Combos provide long eye-relief, top-rail mounting flexibility, and adjust for windage and elevation
- 25-round models come with an accessory magazine loader

For enhanced sighting options, Green Dot and Red Dot Combos offer long eye relief, conveniently mount to/and are repositionable on the flat-top rail, and are adjustable for windage and elevation.



25-round models come with a convenient accessory magazine loader for faster, easier magazine loading.

MUSSBLINU		TATION										
ТҮРЕ	ITEM #	CALIBER	MAGAZINE	CAPACITY	BARREL	SIGHTS	TWIST	OVERALL LENGTH*	LOP	STOCK & FINISH	BARREL FINISH	APPROX. WEIGHT
715T FLAT-TO	P											
Adj. Stock	37209	22LR	25-Rd. & Loader	25+1	16.25"+A2	Rail-Mnt Adj. Front/Rear	1:16"	33"*	11"-14.25"	Adj. LOP Stock/FLEX Pad – Synthetic (Black)	Blue	5.5 lbs
Adj. Stock	37205	22LR	10-Rd. Full-Profile	10+1	16.25"+A2	Rail-Mnt Adj. Front/Rear	1:16"	33"*	11"-14.25"	Adj. LOP Stock/FLEX Pad - Synthetic (Black)	Blue	5.5 lbs
715T FLAT-TO	P – GREE	EN DOT (	COMBO   Dead R	linger <sup>®</sup> Gree	en Dot Sight: 1X	Magnification, 4 Reticle C	Configuratio	ns, Multip	ole Brightness S	Settings, Adjusts for Windage/Elevation		
Adj. Stock	37240	22LR	25-Rd. & Loader	25+1	16.25"+A2	Rail-Mnt 1X Green Dot	1:16"	32.5**	10.5"-14.25"	Adj. LOP Stock – Synthetic (Flat Dark Earth)	Blue	5.75 lbs
715T FLAT-TO	P – RED	DOT COI	<b>MBO  </b> 1x30mm F	Red Dot Sig	ht: Red/Green	Illumination, Adjusts for Wi	indage/Elev	ation				
Adj. Stock	37234	22LR	25-Rd. & Loader	25+1	16.25"+A2	Rail-Mnt 30mm Red Dot	1:16"	33"*	11"-14.25"	Adj. LOP Stock/FLEX Pad – Synthetic (Black)	Blue	5.75 lbs
Adj. Stock	37232	22LR	10-Rd. Full-Profile	10+1	16.25"+A2	Rail-Mnt 30mm Red Dot	1:16"	33'**	11"-14.25"	Adj. LOP Stock/FLEX Pad – Synthetic (Black)	Blue	5.75 lbs

\*Overall Length: Length is measured with stock at minimum length of pull. Full-profile: 10-Round magazine has shape and appearance of 25-round magazine. LOP: Length of pull. Adj. LOP Stock: 6-Position stock with variable length of pull. POI is adjusted using the integrated lever. FLEX Pad: Stock uses FLEX-enabled interchangeable recoil pad, compatible with other FLEX pads (sold separately). Loader: Includes accessory magazine loader. Adj. Front/Rear: Picatinny rail-mounted front and rear sights are removable and adjustable. +A2: A2-style muzzlebrake. Dead Ringer is a registered trademark of Dead Ringer Hunting. All models include a free gun lock. Not all products are available in all states and jurisdictions. Check your state and local laws and regulations.

### MOSSBERG INTERNATIONAL 715T

## **702 PLINKSTER**<sup>®</sup> Semi-Automatic Rimfire Rifles







Front and rear fiber-optic sights are adjustable for windage and elevation, provide excellent target acquisition in a variety of conditions.



Synthetic stock features a stippled grip and forend; and has a thick, vented rubber recoil pad for shooting comfort.



MOSSBERG INTERNATI	ONAL 702 I	PLINKSTE	R								
ТҮРЕ	ITEM #	CALIBER	CAPACITY	BARREL	TWIST	SIGHTS/SCOPE	OVERALL LENGTH	LOP	FINISH	STOCK	APPROX. WEIGHT
Black Synthetic	37073	22LR	25+1	18"	1:16"	Adj. FO Rifle	37"	14.25"	Blue	Synthetic (Black)	4 lbs
Black Synthetic	37072	22LR	10+1	18"	1:16"	Adj. FO Rifle	37"	14.25"	Blue	Synthetic (Black)	4 lbs
Black Synthetic – Bantam	37071	22LR	10+1	18"	1:16"	Adj. FO Rifle	35"	12.25"	Blue	Synthetic (Black)	4 lbs


Adj. Rifle: Rifle sights adjust for windage and elevation. LOP: Length of pull. All models include a free gun lock. Not all products are available in all states and jurisdictions. Check your state and local laws and regulations.





# ACCESSORIES

### MOSSBERG



00

## **BARRELS/HEAT SHIELDS/BARREL & SCOPE COMBOS**

TYPE	ITEM NUMBER	DESCRIPTION/FEATURES	GAUGE OR CALIBER	BARREL LENGTH	СНОКЕ	FINISH
00.° 500° FLE	EX <sup>®</sup> & MAVERICK <sup>®</sup>	88° BARRELS (Compatible within gauge and	d capacity)			
All-Purpose	90123	Vent Rib, Bead Sight	12GA	28"	Accu-Set	Matte Blue
All-Purpose	90122	Vent Rib, Bead Sight	12GA	24"	Accu-Set	Matte Blue
All-Purpose	90119	Vent Rib, Bead Sight	12GA	20"	Accu-Set	Matte Blue
All-Purpose	90130	Vent Rib, Bead Sight	12GA	28"	Accu-Set	Blue
All-Purpose	90135	Vent Rib, Bead Sight	12GA	24"	Accu-Set	Blue
All-Purpose	90140	Vent Rib, Bead Sight	12GA	20"	Accu-Set	Blue
All-Purpose	90061	Vent Rib, Bead Sight	20GA	26"	Accu-Set	Matte Blue
All-Purpose	90136	Vent Rib, Bead Sight	20GA	26"	Accu-Set	Blue
Slug	90120	Adjustable Rifle Sights	12GA	24"	Cylinder Bore	Matte Blue
Slug	90121	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	Matte Blue
Slug	92056	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	Blue
Sluq	92256	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	Matte Blue
Slug	92049	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	Blue
Slug	90055	Adjustable Rifle Sights	12GA	24"	Cylinder Bore	Blue
Slug	90064	Adjustable Rifle Sights	20GA	24"	Cylinder Bore	Matte Blue
Slug	90059	Adjustable Rifle Sights	20GA	24"	Fully Rifled Bore	Matte Blue
Slug	90058	Integral Scope Base/Cantilever	20GA	24"	Fully Rifled Bore	Matte Blue
Slug	90063	Integral Scope Base/Cantilever	20GA	24"	Fully Rifled Bore	Blue
Slug	92062	Adjustable Rifle Sights	20GA	24"	Fully Rifled Bore	Blue
Slug	90060	Adjustable Rifle Sights	20GA	24"	Cylinder Bore	Blue
Security	90015	Plain, Bead Sight	12GA	18.5"	Cylinder Bore	Blue
Security	90016	Plain, Bead Sight	12GA	18.5"	Cylinder Bore	Matte Blue
Security	90017	Stand-off, White Bead Sight	12GA	18.5"	Cylinder Bore	Matte Blue
Security	90018	Stand-off, White Bead Sight	12GA	18.5"	Cylinder Bore	Blue
35 ATS <sup>™</sup> BAF	RELS					
All-Purpose	91301	Vent Rib, Fiber-Optic Sight	12GA	28"	Accu-Set	MO Break-Up Countr
All-Purpose	91302	Vent Rib, Fiber-Optic Sight	12GA	28"	Accu-Set	Blue
Slug	91303	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	MO Break-Up Countr
Slug	91304	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	Blue
Slug	91305	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	MO Break-Up Countr
Slug	91306	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	Blue
0	G° BARRELS	integral boops based bankierer	12011	2.	r ding rinnoù boro	5100
All-Purpose	90807	Vent Rib, Fiber-Optic Sight	12GA	28"	Accu-Mag Set	MO Break-Up Countr
All-Purpose	90808	Vent Rib, Fiber-Optic Sight	12GA	28"	Accu-Mag Set	MO Obsession
All-Purpose	90831	Vent Rib, Bead Sight	12GA	28"	Accu-Mag Set	Matte Blue
Slug	90804	Adjustable Rifle Sights	12GA	24"	Cylinder Bore	Matte Blue
Slug	90805	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	Matte Blue
Slug	90806	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	MO Break-Up Countr
Slug	90820	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	Blue
Slug	92802	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	Blue
Slug	90800	Adjustable Rifle Sights	12GA	24"	Cylinder Bore	Blue
Slug	92830	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	Matte Blue

TYPE	ITEM NUMBER	DESCRIPTION/FEATURES	GAUGE OR CALIBER	BARREL LENGTH	CHOKE	FINISH
30° BARREL	S					
All-Purpose	93019	Vent Rib, Fiber-Optic Sight	12GA	28"	Modified	MO Break-Up Country
All-Purpose	93021	Vent Rib, Fiber-Optic Sight	12GA	28"	Modified	Matte Blue
Turkey	93017	Vent Rib, Fiber-Optic Sight	12GA	24"	XX-Full	MO Break-Up Country
Turkey	93025	Vent Rib, Fiber-Optic Sight	12GA	24"	XX-Full	Matte Blue
Slug	93010	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	Matte Blue
Slug	93030	Integral Scope Base	12GA	24"	Fully Rifled Bore	Matte Blue
Security	93020	Plain, Bead Sight	12GA	18.5"	Cylinder Bore	Matte Blue
Security	93035	Stand-off, White Bead Sight	12GA	18.5"	Cylinder Bore	Matte Blue
35 MAGNUN	I" BARRELS					
All-Purpose	90911	Vent Rib, Fiber-Optic Sight	12GA	28"	Accu-Mag Set	MO Break-Up Country
Slug	90912	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	MO Break-Up Country
Slug	90913	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	MO Break-Up Country
Slug	90910	Rifle Sights	12GA	24"	Fully Rifled Bore	Matte Blue
Slug	90920	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	Matte Blue
REMINGTON®	870° BARRELS					
Slug	91356	Integral Scope Base/Cantilever	12GA	24"	Fully Rifled Bore	Matte Blue
Slug	91048	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	Matte Blue
Slug	90048	Adjustable Rifle Sights	12GA	24"	Fully Rifled Bore	Blue
Slug	91330	Adjustable Rifle Sights	12GA	24"	Cylinder Bore	Matte Blue
Security	93356	Stand-off, White Bead Sight	12GA	18.5"	Cylinder Bore	Matte Blue
Security	90335	Plain, Bead Sight	12GA	18.5"	Cylinder Bore	Blue
Security	91335	Plain, Bead Sight	12GA	18.5"	Cylinder Bore	Matte Blue

Bead: Front bead sight. Accu-Mag Set: Includes Improved Cylinder, Modified and Full choke tubes. MO: Mossy Oak Brand Camo. Mossy Oak and Break-Up are registered trademarks of Heas Outdoors, Inc. Remington and 870 are registered trademarks of Remington Arms Company, LLC.

#### BARREL HEAT SHIELDS

ITEM #	DESCRIPTION	GAUGE	MODEL COMPATIBILITY		
BARREL H	HEAT SHIELDS			<b>Blue</b>   #95065	
95065	Barrel Heat Shield - Blue Finish	12GA	500, 500 FLEX, 590 (Excludes 590A1)		* * * * * * * * * * * * * * * * * * * *
95066	Barrel Heat Shield - Parkerized Finish	12GA	500, 500 FLEX, 590 (Excludes 590A1)	Parkerized   #95066	
95068	Barrel Heat Shield - Marinecote Finish	12GA	500, 500 FLEX, 590 (Excludes 590A1)	Marinecote   #95068	

BARRE	L/SCOPE COMBOS   Barrel and Integral Scope	e Base/Ca	ntilever and Variable 3-9x40mm	Scope
ITEM #	DESCRIPTION/FEATURES	GAUGE	BARREL LENGTH/BORE & FINISH	MODEL COMPATIBILITY
92156	500° 12GA Barrel with Integral Scope Base/Cantilever and 3-9x40mm Variable Scope	12GA	24" Fully Rifled Bore - Blue	500, 500 FLEX, Maverick 88 (12GA)
92010	500 <sup>®</sup> 20GA Barrel with Integral Scope Base/Cantilever and 3-9x40mm Variable Scope	20GA	24" Fully Rifled Bore - Blue	500, 500 FLEX, Maverick 88 (20GA)
95355	535 ATS <sup>™</sup> Barrel with Integral Scope Base/Cantilever and 3-9x40mm Variable Scope	12GA	24" Fully Rifled Bore - Blue	535 ATS
90835	835 <sup>®</sup> Ulti-Mag <sup>®</sup> Barrel with Integral Scope Base/Cantilever and 3-9x40mm Variable Scope	12GA	24" Fully Rifled Bore - Blue	835 Ulti-Mag
92356	Remington® Model 870® 12GA Barrel with Integral Scope Base/Cantilever and 3-9x40mm Variable Scope	12GA	24" Fully Rifled Bore – Matte Blue	Remington 870 (12GA)
Barrel/Scope	combos are compatible within model, gauge and capacity. Remington and 87	0 are register	ed trademarks of Remington Arms Company, LL	C.

### **CHOKE TUBES**

### MOSSBERG

#### ACCU-CHOKE<sup>™</sup> AND ACCU-MAG<sup>™</sup> CHOKE TUBES

For consistent pattern performance with a variety of loads, look for Accu-Choke and Accu-Mag choke tubes in a variety of gauges and constrictions for hunting and recreational shooting. Chokes fit a variety of pump-action and autoloading shotgun models (see chart for availability).

#### X-FACTOR<sup>™</sup> PORTED CHOKE TUBES

Combining precision-engineered choke constrictions with two rows of specially angled ports, X-FACTOR choke tubes provide dedicated waterfowl and turkey hunters with an added edge in the field. X-FACTOR tubes fit a variety of pump-action and autoloading shotgun models (see chart for availability).

ITEM #	DESCRIPTION	GAUGE	FOR USE WITH MODELS
	CHOKE <sup>®</sup> TUBES Steel & Other Non-Toxic Shot		
95235	Skeet	12GA	500, 535, 930, 940, 88
95200	Improved Cylinder	12GA	500, 535, 930, 940, 88
95195	Modified	12GA	500, 535, 930, 940, 88
95190	Full	12GA	500, 535, 930, 940, 88
95267	XX-Full Turkey (Lead Only)	12GA	500, 535, 930, 940, 88
95225	Improved Cylinder	20GA	500, 505, 88
95220	Modified	20GA	500, 505, 88
95215	Full	20GA	500, 505, 88
95230	X-Full Turkey (Lead Only)	20GA	500, 505, 88
	MAG <sup>™</sup> CHOKE TUBES nd 935 Models (For Lead, Steel &	Other Nor	n-Toxic Shot)
95256	Skeet	12GA	835, 935
95252	Improved Cylinder	12GA	835, 935
95253	Modified	12GA	835, 935
95254	Full	12GA	835, 935
95255	X-Full	12GA	835, 935
95257	Ulti-Full Turkey Tube (Lead Only)	12GA	835, 935
	OR <sup>™</sup> PORTED CHOKE TUBE nd 935 Models	S – WA	TERFOWL
95290	Improved Cylinder	12GA	835, 935
95280	Modified	12GA	835, 935
95270	Full	12GA	835, 935
	OR <sup>™</sup> PORTED CHOKE TUBE berg 500, 505, 535, 835, 930, 940		
95258	Ulti-Full Tky Tube (Lead Only)	12GA	835, 935
95268	XX-Full Tky Tube (Lead Only)	12GA	500, 535, 930, 940, 88
95231	X-Full Tky Tube (Lead Only)	20GA	500, 505, 88
CHOKE	TUBE WRENCH		
95205	Choke Tube Wrench	All	All Accu-Choke and Accu-Mag
STAND	OFF CHOKE TUBE		
95417	Stand-Off Choke Tube	12GA	500, 590, 535, 930, 940, 88
	Add stand-off capability to any 12 Requires no tools.	GA Accu-	Choke barrel. Screw-in installation.
	*95417		

Accu-Choke: Accu-Choke choke tubes may be used on the following interchangeable choke models: Mossberg. Smith & Wesson, Savage, U.S. Repeating Arms and Maverick. Accu-Mag: Accu-Mag choke tubes are for use with 935, 835 and SSI-One models only. See the chart at right for game-specific choke tube recommendations.



#### **RECOMMENDED CHOKE TUBE & LOAD USAGE**

A STATE

	GAME	GAUGE/BORE	DISTANCE	CHOKE	SHOT SIZE
J.	QUAIL	12 & 20	15–30 YDS.	SK/IC/M	#7 <sup>1</sup> /2, 8, 9
	WOODCOCK	12 & 20	30+ YDS.	IC/M	#7 <sup>1</sup> /2, 8
4	DOVE	12 & 20 12 & 20	20–30 YDS. 30+ YDS.	IC/M IC/M	#71/2, 8, 9 #71/2, 8
as .	PHEASANT	12 & 20	20–30 YDS.	IC/M	#5, 6, 7½
	GROUSE	12	30+ YDS.	M/F	#4, 5, 6
SP	TURKEY	12 & 20 12	15–30 YDS. 30+ YDS.	F/XF XF/XXF	#4, 5, 6 #4, 5, 6
52	RABBIT	12, 20 & .410 12 & 20	15–30 YDS. 30+ YDS.	IC/M IC/M	#4, 5, 6, 7½ #4, 5, 6
1	SQUIRREL	12, 20 & .410 12 & 20	15–30 YDS. 30+ YDS.	IC/M/F IC/M/F	#4, 5, 6, 7½ #4, 5, 6
lo	LARGE DUCKS	12 & 20	15–30 YDS.	IC/M	#1, 2, 3, 4
	(MALLARD, PINTAIL)	12	30+ YDS.	IC/M/F	BB, #1, 2, 3
- Ref.	SMALL DUCKS	12 & 20	20–30 YDS.	IC/M	#3, 4, 6
	(TEAL, BUFFLEHEAD)	12 & 20	30+ YDS.	M/F	#3, 4
-	Large geese	12	20–30 YDS.	IC/M	T, BBB, BB, #1
	(giant, western canada)	12	30+ YDS.	M/F/XF	T, BBB, BB
1	Medium geese	12	20–30 YDS.	IC/M	BBB, BB, #1
	(SNOW, Lesser Canada)	12	30+ YDS.	M/F	BBB, BB

Choke and shot size selection will vary depending on target distance and hunting conditions. SK: Skeet. IC: Improved Cylinder. M: Modified. F. Full XF. X-Full XXF. XX-Full

Knowing and using the correct choke tube suited for your particular hunting application is as important as any other aspect of the hunt. Use the handy guide above for recommendations.

#### 450 BUSHMASTER MUZZLE DEVICE | Fits barrels threaded for 11/16-24 UNEF



Multi-directional ventilation ports and blast baffles allow for reduced recoil, improved muzzle control, and flash mitigation. Easy installation and removal with common tools (3/4" Open End Wrench). Target crown for projectile stabilization and accuracy; Enclosed end for snag-free use.

Not all products are available in all states and jurisdictions. Check your state and local laws and regulations.

## STOCKS/FORENDS/RAILS/RIFLE MAGAZINES

#### STOCKS, FORENDS, RAILS & MAGAZINES

ITEM #	DESCRIPTION/FEATURES	GAUGE/CALIBER	FOR THE FOLLOWING MODELS
STOCKS AND F	OREARMS		
95010	Synthetic Pistol Grip	.410 Bore	500
95005	Synthetic Pistol Grip	20GA	500, 505, 88
95000	Synthetic Pistol Grip (with Q.D. Swivel Posts)	12GA	835, 535, 500, 590, 590A1, 88
95025	Bantam Synthetic Buttstock - Black (13" LOP)	.410 Bore	500
95035	+4 Shell Holder Stock – Black Syn. (13.87" LOP)	12GA	835, 535, 500, 590, 590A1, 88
95030	Synthetic Field Buttstock – Black (14" LOP)	12GA	835, 535, 500, 590, 590A1, 88
95051	Synthetic Forearm – Corn Cob Style - Black	12GA	835, 535, 500, 590, 590A1
95031	Synthetic Forearm – Tri-Rail - Black	12GA	835, 535, 500, 590, 590A1
ACCESSORIES			
95300	Ghost Ring Sight Kit	12GA	500, 590, 590A1, 930
19297**	Charging Handle	12GA	940, 930, 935
95092	Loc-Box Firearm Security System	All Gauges	*See Note Below
95507	Cablelock – Single Unit	All Gauges	940, 935, 930, 835, 535, 500, 505, 590, 695,100
95530	Cablelock – 5 Pack (Keyed Alike)	All Gauges	940, 935, 930, 835, 535, 500, 505, 590, 695,100

#### PICATINNY RAILS/SCOPE BASES

96205	Scope Base, Matte Blue Finish	5.56/223	MVP
96206	Scope Base, Matte Blue Finish	7.62/308 Short-Action	MVP Patriot
96207	Scope Base, Matte Blue Finish	Long-Action	Patriot
95207	Picatinny Rail, Blued Finish	All Gauges	Drilled & Tapped Shotguns
96200	Picatinny Rail, Matte Blue Finish	All Gauges	Drilled & Tapped Shotguns
96201	Picatinny Rail, Marinecote Finish	All Gauges	Drilled & Tapped Shotguns
96202	Scope Base, Mossy Oak® New Break-Up®	All Gauges	Drilled & Tapped Shotguns
96203	Scope Base, Mossy Oak® Obsession®	All Gauges	Drilled & Tapped Shotguns

#### **RIFLE MAGAZINES**

THILE MAGAL	INLO		
95347	Standard Short-Action 5-Round Magazine	Standard/Short*	Patriot, 4X4
95033	Standard Long-Action 5-Round Magazine	Standard/Long*	Patriot, 4X4
95034	Magnum Long-Action 3-Round Magazine	Magnum/Long*	Patriot, 4X4
95036	375 Ruger 3-Round Magazine	375 Ruger Only	Patriot
95037	450 Bushmaster 4-Round Magazine	450 Bushmaster Only	Patriot
95038	350 Legend 4-Round Magazine	350 Legend Only	Patriot
95039	6.5 PRC 4-Round Magazine	6.5 PRC Only	Patriot
95713	715T/715P/Tact 22 Semi-Auto 10-Rd Full-Profile	22LR	715T, 715P, Tactical 22
95712	715T/715P/Tact 22 Semi-Auto 25-Rd Mag. & Loader	22LR	715T, 715P, Tactical 22
95725	702 Plinkster Semi-Auto 25-Round Mag. & Loader	22LR	702 Plinkster, FLEX-22
95702	702 Plinkster Semi-Auto 10-Round Magazine	22LR	702 Plinkster, FLEX-22
95803	22LR Bolt-Action 10-Round Magazine	22LR	802 Plinkster, 801 Half-Pint
95887	817 Bolt-Action 5-Round Magazine	17HMR	817
95135	Blaze/Blaze-47 10-Round Magazine	22LR	Blaze, Blaze-47
95136	Blaze/Blaze-47 25-Round Magazine	22LR	Blaze, Blaze-47

Dealers: Item number with two asterisks (\*\*) indicates a SKU that does not come in display ready/clamshell packaging.

Standard Long-Action Calibers      (5-Round)      #95033        Magnum Long-Action Calibers      (3-Round)      #95034        Standard Short-Action Calibers      (5-Round)      #95034        375 Ruger      (3-Round)      #95036        450 Bushmaster      (4-Round)      #95037        350 Legend      (4-Round)      #95038        6.5 PRC      (4-Round)      #95039	CENTERFIRE BOLT-ACTION MAGAZINES (Patriot/4x4)				
Standard Short-Action Calibers      (5-Round)      #95347        375 Ruger      (3-Round)      #95036        450 Bushmaster      (4-Round)      #95037        350 Legend      (4-Round)      #95038	Standard Long-Action Calibers	(5-Round)   <b>#95033</b>			
375 Ruger      (3-Round)      #95036        450 Bushmaster      (4-Round)      #95037        350 Legend      (4-Round)      #95038	Magnum Long-Action Calibers	(3-Round)   <b>#95034</b>			
450 Bushmaster      (4-Round)   #95037        350 Legend      (4-Round)   #95038	Standard Short-Action Calibers	(5-Round)   <b>#95347</b>			
350 Legend (4-Round)   #95038	375 Ruger	(3-Round)   <b>#95036</b>			
	450 Bushmaster	(4-Round)   <b>#95037</b>			
6.5 PRC (4-Round)   #95039	350 Legend	(4-Round)   <b>#95038</b>			
	6.5 PRC	(4-Round)   <b>#95039</b>			



Not all products are available in all states and jurisdictions. Check your state and local laws and regulations.



#95030





#### JM PRO DROP-IN ADJUSTABLE MATCH TRIGGER

- Fits AR-15s and AR-10s with .154" trigger and hammer pin holes.
- Designed in conjunction with legendary World Champion Jerry Miculek, this Drop-in Trigger is factory-set at a pull weight of 4 pounds (User-adjustable range: 3 to 6 lbs). The trigger offers a crisp, creep-free break and is user-


adjustable for overtravel.

#96010



## FLEX<sup>™</sup> SYSTEM Accessories and Conversion Kits

Coordinated stock, forend and recoil pad assemblies - quick-release components that allow shooters to easily switch applications – in nearly limitless combinations.



#### FLEX RECOIL PAD ASSEMBLIES

FLEX Recoil Pad Assemblies allow shooters to adjust length of pull for application-specific hunting or security needs, or adjust for comfort.



Large | #95212 Medium | #95211 Small | #95210 1.5" Thickness 1.25" Thickness

.75" Thickness

## Black Synthetic | #95214

Mossy Oak® Break-Up® Infinity® | #95216



#### Advantage° Max-4~ | #95217

FLEX RAILED FORENDS (TACTICAL STYLE)

Tri-Rail Configuration, Optional Short Bottom Rail, Ambidextrous Side Touchpad Accommodation (inset), Black Synthetic





FLEX /	FLEX ACCESSORIES						
ITEM #	DESCRIPTION/FEATURES	TYPE FINISH OR PATTERN	FITS THE FOLLOWING				
FLEX RI	FLEX RECOIL PAD ASSEMBLIES						
95210	FLEX Recoil Pad Assembly – .75" Thickness (Small)	Rubber (Black)	FLEX Standard Stocks, FLEX 4-Position Adjustable Stocks				
95211	FLEX Recoil Pad Assembly - 1.25" Thickness (Medium)	Rubber (Black)	FLEX Standard Stocks, FLEX 4-Position Adjustable Stocks				
95212	FLEX Recoil Pad Assembly - 1.50" Thickness (Large)	Rubber (Black)	FLEX Standard Stocks, FLEX 4-Position Adjustable Stocks				
FLEX FO	DRENDS						
95213	FLEX Tactical Forend – Railed (Extra Short Rail, Touchpad Accommodation)	Synthetic (Black)	500/590 FLEX Shotgun (12GA or 20GA)				
95214	FLEX Standard Forend	Synthetic (Black)	500/590 FLEX Shotgun (12GA or 20GA)				
95216	FLEX Standard Forend	Synthetic (MO Break-Up Infinity)	500/590 FLEX Shotgun (12GA or 20GA)				
95217	FLEX Standard Forend	Synthetic (RT Adv. Max-4)	500/590 FLEX Shotgun (12GA or 20GA)				
FLEX PI	FLEX PISTOL GRIP & STOCKS						
95218	FLEX Pistol Grip	Synthetic (Black)	500/590 FLEX Shotgun (12GA or 20GA)				
95219	FLEX 6-Position Adjustable Stock - 10.75"-14.25" LOP (Tactical Style)	Adj. Synthetic (Black), Medium Recoil Pad	500/590 FLEX Shotgun (12GA or 20GA), MVP FLEX Rifle, FLEX-22 Rifle				
95221	FLEX 4-Position Adjustable Stock/Dual Comb - 12.75"-14.62" LOP (Hunting Style)	Adj. Synthetic (Black), Medium Recoil Pad	500/590 FLEX Shotgun (12GA or 20GA), MVP FLEX Rifle, FLEX-22 Rifle				
95222	FLEX 4-Position Adjustable Stock/Dual Comb - 12.75"-14.62" LOP (Hunting Style)	Adj. Synthetic (MO BU Infinity), Medium Recoil Pad	500/590 FLEX Shotgun (12GA or 20GA), MVP FLEX Rifle, FLEX-22 Rifle				
95223	FLEX Standard Stock – Compact 12.5" LOP	Synthetic (Black) Medium Recoil Pad	500/590 FLEX Shotgun (12GA or 20GA), MVP FLEX Rifle, FLEX-22 Rifle				
95224	FLEX Standard Stock – Full-Length 14.25" LOP	Synthetic (Black) Medium Recoil Pad	500/590 FLEX Shotgun (12GA or 20GA), MVP FLEX Rifle, FLEX-22 Rifle				
95226	FLEX Standard Stock – Medium 13.5" LOP	Synthetic (Black) Medium Recoil Pad	500/590 FLEX Shotgun (12GA or 20GA), MVP FLEX Rifle, FLEX-22 Rifle				
95227	FLEX Standard Stock – Medium 13.5" LOP	Synthetic (MO Break-Up Infinity) Medium Recoil Pad	500/590 FLEX Shotgun (12GA or 20GA), MVP FLEX Rifle, FLEX-22 Rifle				
95228	FLEX Standard Stock – Medium 13.5" LOP	Synthetic (RT Adv. Max-4) Medium Recoil Pad	500/590 FLEX Shotgun (12GA or 20GA), MVP FLEX Rifle, FLEX-22 Rifle				

FLEX accessories are only compatible with FLEX system shotguns and MVP FLEX and FLEX-22 rifles. Standard (Forend): Non-railed field-style forend. 6-Position: Tactical-style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Position: Hunting style adjustable stock's length of pull is adjusted through an integrated lever. 4-Advantage, Max-4 and Max-5 are registered trademarks of Spartan Realtree Products, Inc.

### **FLEX CONVERSION KITS**

Available in 12 or 20 Gauge. Three Kit Configurations for converting your Mossberg 500, 590, 590A1, or Maverick 88 shotgun: Conversion Kit for Stocks and Forends (shown), Conversion Kit

for Stocks Only, and Conversion Kit for Stocks with FLEX Pistol Grip.

#### FLEX CONVERSION KIT FEATURES

- Add the flexibility of quick-change components to your existing shotgun
- Switch between hunting and security applications without tools
- Meet the needs of multiple users with a variety of stock, grip, forend, and recoil pad assembly options

#### FLEX CONVERSION KITS

ITEM #	DESCRIPTION	GAUGE	FOR USE WITH MODELS			
FLEX STOCK ADAPTER						
96022	FLEX Stock Adapter Kit	12GA	500, 590, 590A1, 88			
96023	FLEX Stock Adapter Kit	20GA	500, 505, 88			
FLEX STOCK & FOREARM ADAPTER						
96024	FLEX Stock & Forearm Adapter Kit	12GA	500, 590, 590A1, 88			
96025	FLEX Stock & Forearm Adapter Kit	20GA	500, 505, 88			
FLEX STOCK ADAPTER W/PISTOL GRIP						
96026	FLEX Stock Adapter Kit with Pistol Grip	12GA	500, 590, 590A1, 88			
96027	FLEX Stock Adapter Kit with Pistol Grip	20GA	500, 505, 88			

#### CONVERT YOUR EXISTING MOSSBERG OR MAVERICK SHOTGUN INTO A FLEX SHOTGUN WITH FLEX CONVERSION KITS



TO ORDER FLEX CONVERSION KITS AND ACCESSORIES: GO TO MOSSBERG.COM

## PISTOL ACCESSORIES Magazines, Holsters & Pouches

MC2sc; MC2c° & MC1sc° MAGAZINES, HOLSTERS & POUCHES							
ITEM #	DESCRIPTION/FEATURES	CALIBER	MATERIAL (COLOR)	FITS/FOR MODELS			
PISTOL MA	PISTOL MAGAZINES						
95422	MC2sc 14-Round Extended Magazine, Double Stack	9mm	Steel	MC2sc			
95423	MC2sc 11-Round Flush-Fit Magazine, Double Stack	9mm	Steel	MC2sc			
95424	MC2sc 10-Round Flush-Fit Magazine, Double Stack	9mm	Steel	MC2sc			
95425	MC2sc 10-Round Extended Magazine, Double Stack	9mm	Steel	MC2sc			
NEW) 95427	MC2c 16-Round Flush-Fit Magazine, Double Stack	9mm	Steel	MC2c			
NEW) 95426	MC2c 14-Round Flush-Fit Magazine, Double Stack	9mm	Steel	MC2c			
95421	MC2c 10-Round Flush-Fit Magazine, Double Stack	9mm	Steel	MC2c			
95416	MC1sc 7-Round Extended Magazine	9mm	Polymer (Clear Count™)	MC1sc			
95415	MC1sc 6-Round Flush-Fit Magazine	9mm	Polymer (Clear Count <sup>™</sup> )	MC1sc			
HOLSTERS & POUCHES							
95405	MC2sc Holster - IWB/OWB (RH/LH) - DeSantis® Pegasus Slim-Tuk®		Kydex (Black, Logo)	MC2sc			
105459	MC2c Holster - IWB/OWB (RH/LH) - DeSantis® Pegasus Slim-Tuk®		Kydex (Black, Logo)	MC2c			
105460	MC2 Mag Pouch - OWB (RH/LH) - DeSantis <sup>®</sup> Pegasus Quantico™		Kydex (Black)	MC2sc, MC2c			

IWB: Inside Waistband. OWB: Outside Waistband. RH/LH: Holster can be configured for right- or left-handed use. DeSantis: Desantis Gunhide brand holsters and pouches. DeSantis,<sup>®</sup> Slim-Tuk,<sup>®</sup> and Quantico<sup>™</sup> are trademarks of Desantis Holster and Leather Goods.



MC2sc 14-Round Extended (Double Stack) #95422





MC2c 16-Round Extended (Double Stack) #95427





MC1sc 7-Round

Extended

(Single Stack) #95416



MC1sc 6-Round Flush-Fit (Single Stack) #95415



MC2sc Slim-Tuk® Holster - IWB/OWB - RH/LH #95405

MC2c Slim-Tuk® Holster - TWB/OWB - RH/LH

#105459

MC2 Mag Pouch OWB - RH/LH #105460







#### SEE CURRENT SELECTIONS AND ORDER PISTOL ACCESSORIES AT MOSSBERG.COM

### **MOSSBERG SAFETY**

### Shoot Safe. Be Safe.

Safety. It's not just about protecting your home and family. It's about making sure you always handle your firearm safely and responsibly, practice safe firearm storage and transport, and be a good role model for new and younger shooters. The pursuit of safety is why we're proud to be one of the first manufacturers to ship a free gun lock with every gun. So shoot safe, be safe — and always follow these safe firearms handling rules as set by the Sporting Arms and Ammunition Manufacturers' Institute.

- 1 Always keep the muzzle pointed in a safe direction.
- 2 Firearms should be unloaded when not in use.
- 3 Don't rely on your gun's "safety."
- 4 Be sure of your target and what is beyond it.
- 5 Use correct ammunition.
- 6 If your gun fails to fire when the trigger is pulled, handle with care!
- 7 Always wear eye and ear protection when shooting.
- 8 Be sure the barrel is clear of obstructions before shooting.
- 9 Don't alter or modify your gun, and have guns serviced regularly.
- 10 Learn the mechanical and handling characteristics of your firearm. Courtesy of Sporting Arms and Ammunition Manufacturers' Institute



#### O.F. MOSSBERG & SONS, INC. 7 Grasso Avenue, P.O. Box 497 North Haven, CT 06473-3237 HQ: 203-230-5300 Service: 800-363-3555

#### MOSSBERG.COM



SAFETY AND SAFE FIREARMS HANDLING IS EVERYONE'S RESPONSIBILITY © 2023 O.F. Mossberg & Sons, Inc. All rights reserved. Printed in the USA.

Λ